



TOOL HOLDER SHOP INC
PRODUCT CATALOG
(c) 2021

Table of Contents

Table of Contents	1
Capto Compatible	2
Capto Compatible Collet Chuck	2
Capto Compatible Boring Bar Holder	56
Capto compatible Face Mill Holder	96
Capto Compatible Turning Mills Holders	148

CAPTO C5 COMPATIBLE COLLET CHUCK SD10 L=100 mm

THS013786

SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013785	CAPTO C5 COMPATIBLE COLLET CHUCK SD06 L=100 mm							
THS013786	CAPTO C5 COMPATIBLE COLLET CHUCK SD10 L=100 mm							
THS013787	CAPTO C5 COMPATIBLE COLLET CHUCK SD16 L= 80 mm							
THS013788	CAPTO C5 COMPATIBLE COLLET CHUCK SD16 L=100 mm							
THS013789	CAPTO C5 COMPATIBLE COLLET CHUCK SD20 L=100 mm							
THS013790	CAPTO C5 COMPATIBLE COLLET CHUCK SD20 L=150 mm							
THS013791	CAPTO C5 COMPATIBLE COLLET CHUCK SD25 L=100 mm							
THS013792	CAPTO C5 COMPATIBLE COLLET CHUCK SD25 L=150 mm							
THS013793	CAPTO C6 COMPATIBLE COLLET CHUCK SD06 L=100 mm							
THS013794	CAPTO C6 COMPATIBLE COLLET CHUCK SD10 L=100 mm							
THS013816	CAPTO C6 COMPATIBLE COLLET CHUCK SD16 L= 80 mm							
THS013817	CAPTO C6 COMPATIBLE COLLET CHUCK SD16 L=100 mm							
THS013818	CAPTO C6 COMPATIBLE COLLET CHUCK SD20 L=100 mm							
THS013819	CAPTO C6 COMPATIBLE COLLET CHUCK SD20 L=150 mm							
THS013820	CAPTO C6 COMPATIBLE COLLET CHUCK SD25 L=100 mm							

<u>THS013821</u>	CAPTO C6 COMPATIBLE COLLET CHUCK SD25 L=150 mm							

Updated 202302

COMPATIBLE LATHES

CAPTO C5 COMPATIBLE COLLET CHUCK SD16 L= 80 mm

THS013787

SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013785	CAPTO C5 COMPATIBLE COLLET CHUCK SD06 L=100 mm							
THS013786	CAPTO C5 COMPATIBLE COLLET CHUCK SD10 L=100 mm							
THS013787	CAPTO C5 COMPATIBLE COLLET CHUCK SD16 L= 80 mm							
THS013788	CAPTO C5 COMPATIBLE COLLET CHUCK SD16 L=100 mm							
THS013789	CAPTO C5 COMPATIBLE COLLET CHUCK SD20 L=100 mm							
THS013790	CAPTO C5 COMPATIBLE COLLET CHUCK SD20 L=150 mm							
THS013791	CAPTO C5 COMPATIBLE COLLET CHUCK SD25 L=100 mm							
THS013792	CAPTO C5 COMPATIBLE COLLET CHUCK SD25 L=150 mm							
THS013793	CAPTO C6 COMPATIBLE COLLET CHUCK SD06 L=100 mm							
THS013794	CAPTO C6 COMPATIBLE COLLET CHUCK SD10 L=100 mm							
THS013816	CAPTO C6 COMPATIBLE COLLET CHUCK SD16 L= 80 mm							
THS013817	CAPTO C6 COMPATIBLE COLLET CHUCK SD16 L=100 mm							
THS013818	CAPTO C6 COMPATIBLE COLLET CHUCK SD20 L=100 mm							
THS013819	CAPTO C6 COMPATIBLE COLLET CHUCK SD20 L=150 mm							
THS013820	CAPTO C6 COMPATIBLE COLLET CHUCK SD25 L=100 mm							

<u>THS013821</u>	CAPTO C6 COMPATIBLE COLLET CHUCK SD25 L=150 mm							

Updated 202302

COMPATIBLE LATHES

CAPTO C5 COMPATIBLE COLLET CHUCK SD06 L=100 mm THS013785

SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013785	CAPTO C5 COMPATIBLE COLLET CHUCK SD06 L=100 mm							
THS013786	CAPTO C5 COMPATIBLE COLLET CHUCK SD10 L=100 mm							
THS013787	CAPTO C5 COMPATIBLE COLLET CHUCK SD16 L= 80 mm							
THS013788	CAPTO C5 COMPATIBLE COLLET CHUCK SD16 L=100 mm							
THS013789	CAPTO C5 COMPATIBLE COLLET CHUCK SD20 L=100 mm							
THS013790	CAPTO C5 COMPATIBLE COLLET CHUCK SD20 L=150 mm							
THS013791	CAPTO C5 COMPATIBLE COLLET CHUCK SD25 L=100 mm							
THS013792	CAPTO C5 COMPATIBLE COLLET CHUCK SD25 L=150 mm							
THS013793	CAPTO C6 COMPATIBLE COLLET CHUCK SD06 L=100 mm							
THS013794	CAPTO C6 COMPATIBLE COLLET CHUCK SD10 L=100 mm							
THS013816	CAPTO C6 COMPATIBLE COLLET CHUCK SD16 L= 80 mm							
THS013817	CAPTO C6 COMPATIBLE COLLET CHUCK SD16 L=100 mm							
THS013818	CAPTO C6 COMPATIBLE COLLET CHUCK SD20 L=100 mm							
THS013819	CAPTO C6 COMPATIBLE COLLET CHUCK SD20 L=150 mm							
THS013820	CAPTO C6 COMPATIBLE COLLET CHUCK SD25 L=100 mm							

<u>THS013821</u>	CAPTO C6 COMPATIBLE COLLET CHUCK SD25 L=150 mm							

Updated 202302

COMPATIBLE LATHES

CAPTO C5 COMPATIBLE COLLET CHUCK SD20 L=150 mm

THS013790

SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013785	CAPTO C5 COMPATIBLE COLLET CHUCK SD06 L=100 mm							
THS013786	CAPTO C5 COMPATIBLE COLLET CHUCK SD10 L=100 mm							
THS013787	CAPTO C5 COMPATIBLE COLLET CHUCK SD16 L= 80 mm							
THS013788	CAPTO C5 COMPATIBLE COLLET CHUCK SD16 L=100 mm							
THS013789	CAPTO C5 COMPATIBLE COLLET CHUCK SD20 L=100 mm							
THS013790	CAPTO C5 COMPATIBLE COLLET CHUCK SD20 L=150 mm							
THS013791	CAPTO C5 COMPATIBLE COLLET CHUCK SD25 L=100 mm							
THS013792	CAPTO C5 COMPATIBLE COLLET CHUCK SD25 L=150 mm							
THS013793	CAPTO C6 COMPATIBLE COLLET CHUCK SD06 L=100 mm							
THS013794	CAPTO C6 COMPATIBLE COLLET CHUCK SD10 L=100 mm							
THS013816	CAPTO C6 COMPATIBLE COLLET CHUCK SD16 L= 80 mm							
THS013817	CAPTO C6 COMPATIBLE COLLET CHUCK SD16 L=100 mm							
THS013818	CAPTO C6 COMPATIBLE COLLET CHUCK SD20 L=100 mm							
THS013819	CAPTO C6 COMPATIBLE COLLET CHUCK SD20 L=150 mm							
THS013820	CAPTO C6 COMPATIBLE COLLET CHUCK SD25 L=100 mm							

<u>THS013821</u>	CAPTO C6 COMPATIBLE COLLET CHUCK SD25 L=150 mm							

Updated 202302

COMPATIBLE LATHES

CAPTO C5 COMPATIBLE COLLET CHUCK SD20 L=100 mm THS013789

SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013785	CAPTO C5 COMPATIBLE COLLET CHUCK SD06 L=100 mm							
THS013786	CAPTO C5 COMPATIBLE COLLET CHUCK SD10 L=100 mm							
THS013787	CAPTO C5 COMPATIBLE COLLET CHUCK SD16 L= 80 mm							
THS013788	CAPTO C5 COMPATIBLE COLLET CHUCK SD16 L=100 mm							
THS013789	CAPTO C5 COMPATIBLE COLLET CHUCK SD20 L=100 mm							
THS013790	CAPTO C5 COMPATIBLE COLLET CHUCK SD20 L=150 mm							
THS013791	CAPTO C5 COMPATIBLE COLLET CHUCK SD25 L=100 mm							
THS013792	CAPTO C5 COMPATIBLE COLLET CHUCK SD25 L=150 mm							
THS013793	CAPTO C6 COMPATIBLE COLLET CHUCK SD06 L=100 mm							
THS013794	CAPTO C6 COMPATIBLE COLLET CHUCK SD10 L=100 mm							
THS013816	CAPTO C6 COMPATIBLE COLLET CHUCK SD16 L= 80 mm							
THS013817	CAPTO C6 COMPATIBLE COLLET CHUCK SD16 L=100 mm							
THS013818	CAPTO C6 COMPATIBLE COLLET CHUCK SD20 L=100 mm							
THS013819	CAPTO C6 COMPATIBLE COLLET CHUCK SD20 L=150 mm							
THS013820	CAPTO C6 COMPATIBLE COLLET CHUCK SD25 L=100 mm							

<u>THS013821</u>	CAPTO C6 COMPATIBLE COLLET CHUCK SD25 L=150 mm							

Updated 202302

COMPATIBLE LATHES

CAPTO C5 COMPATIBLE COLLET CHUCK SD16 L=100 mm THS013788

SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013785	CAPTO C5 COMPATIBLE COLLET CHUCK SD06 L=100 mm							
THS013786	CAPTO C5 COMPATIBLE COLLET CHUCK SD10 L=100 mm							
THS013787	CAPTO C5 COMPATIBLE COLLET CHUCK SD16 L= 80 mm							
THS013788	CAPTO C5 COMPATIBLE COLLET CHUCK SD16 L=100 mm							
THS013789	CAPTO C5 COMPATIBLE COLLET CHUCK SD20 L=100 mm							
THS013790	CAPTO C5 COMPATIBLE COLLET CHUCK SD20 L=150 mm							
THS013791	CAPTO C5 COMPATIBLE COLLET CHUCK SD25 L=100 mm							
THS013792	CAPTO C5 COMPATIBLE COLLET CHUCK SD25 L=150 mm							
THS013793	CAPTO C6 COMPATIBLE COLLET CHUCK SD06 L=100 mm							
THS013794	CAPTO C6 COMPATIBLE COLLET CHUCK SD10 L=100 mm							
THS013816	CAPTO C6 COMPATIBLE COLLET CHUCK SD16 L= 80 mm							
THS013817	CAPTO C6 COMPATIBLE COLLET CHUCK SD16 L=100 mm							
THS013818	CAPTO C6 COMPATIBLE COLLET CHUCK SD20 L=100 mm							
THS013819	CAPTO C6 COMPATIBLE COLLET CHUCK SD20 L=150 mm							
THS013820	CAPTO C6 COMPATIBLE COLLET CHUCK SD25 L=100 mm							

<u>THS013821</u>	CAPTO C6 COMPATIBLE COLLET CHUCK SD25 L=150 mm							

Updated 202302

COMPATIBLE LATHES

CAPTO C5 COMPATIBLE COLLET CHUCK SD25 L=150 mm

THS013792

SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013785	CAPTO C5 COMPATIBLE COLLET CHUCK SD06 L=100 mm							
THS013786	CAPTO C5 COMPATIBLE COLLET CHUCK SD10 L=100 mm							
THS013787	CAPTO C5 COMPATIBLE COLLET CHUCK SD16 L= 80 mm							
THS013788	CAPTO C5 COMPATIBLE COLLET CHUCK SD16 L=100 mm							
THS013789	CAPTO C5 COMPATIBLE COLLET CHUCK SD20 L=100 mm							
THS013790	CAPTO C5 COMPATIBLE COLLET CHUCK SD20 L=150 mm							
THS013791	CAPTO C5 COMPATIBLE COLLET CHUCK SD25 L=100 mm							
THS013792	CAPTO C5 COMPATIBLE COLLET CHUCK SD25 L=150 mm							
THS013793	CAPTO C6 COMPATIBLE COLLET CHUCK SD06 L=100 mm							
THS013794	CAPTO C6 COMPATIBLE COLLET CHUCK SD10 L=100 mm							
THS013816	CAPTO C6 COMPATIBLE COLLET CHUCK SD16 L= 80 mm							
THS013817	CAPTO C6 COMPATIBLE COLLET CHUCK SD16 L=100 mm							
THS013818	CAPTO C6 COMPATIBLE COLLET CHUCK SD20 L=100 mm							
THS013819	CAPTO C6 COMPATIBLE COLLET CHUCK SD20 L=150 mm							
THS013820	CAPTO C6 COMPATIBLE COLLET CHUCK SD25 L=100 mm							

<u>THS013821</u>	CAPTO C6 COMPATIBLE COLLET CHUCK SD25 L=150 mm							

Updated 202302

COMPATIBLE LATHES

CAPTO C5 COMPATIBLE COLLET CHUCK SD25 L=100 mm THS013791

SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013785	CAPTO C5 COMPATIBLE COLLET CHUCK SD06 L=100 mm							
THS013786	CAPTO C5 COMPATIBLE COLLET CHUCK SD10 L=100 mm							
THS013787	CAPTO C5 COMPATIBLE COLLET CHUCK SD16 L= 80 mm							
THS013788	CAPTO C5 COMPATIBLE COLLET CHUCK SD16 L=100 mm							
THS013789	CAPTO C5 COMPATIBLE COLLET CHUCK SD20 L=100 mm							
THS013790	CAPTO C5 COMPATIBLE COLLET CHUCK SD20 L=150 mm							
THS013791	CAPTO C5 COMPATIBLE COLLET CHUCK SD25 L=100 mm							
THS013792	CAPTO C5 COMPATIBLE COLLET CHUCK SD25 L=150 mm							
THS013793	CAPTO C6 COMPATIBLE COLLET CHUCK SD06 L=100 mm							
THS013794	CAPTO C6 COMPATIBLE COLLET CHUCK SD10 L=100 mm							
THS013816	CAPTO C6 COMPATIBLE COLLET CHUCK SD16 L= 80 mm							
THS013817	CAPTO C6 COMPATIBLE COLLET CHUCK SD16 L=100 mm							
THS013818	CAPTO C6 COMPATIBLE COLLET CHUCK SD20 L=100 mm							
THS013819	CAPTO C6 COMPATIBLE COLLET CHUCK SD20 L=150 mm							
THS013820	CAPTO C6 COMPATIBLE COLLET CHUCK SD25 L=100 mm							

<u>THS013821</u>	CAPTO C6 COMPATIBLE COLLET CHUCK SD25 L=150 mm							

Updated 202302

COMPATIBLE LATHES

CAPTO C6 COMPATIBLE COLLET CHUCK SD06 L=100 mm THS013793

SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013785	CAPTO C5 COMPATIBLE COLLET CHUCK SD06 L=100 mm							
THS013786	CAPTO C5 COMPATIBLE COLLET CHUCK SD10 L=100 mm							
THS013787	CAPTO C5 COMPATIBLE COLLET CHUCK SD16 L= 80 mm							
THS013788	CAPTO C5 COMPATIBLE COLLET CHUCK SD16 L=100 mm							
THS013789	CAPTO C5 COMPATIBLE COLLET CHUCK SD20 L=100 mm							
THS013790	CAPTO C5 COMPATIBLE COLLET CHUCK SD20 L=150 mm							
THS013791	CAPTO C5 COMPATIBLE COLLET CHUCK SD25 L=100 mm							
THS013792	CAPTO C5 COMPATIBLE COLLET CHUCK SD25 L=150 mm							
THS013793	CAPTO C6 COMPATIBLE COLLET CHUCK SD06 L=100 mm							
THS013794	CAPTO C6 COMPATIBLE COLLET CHUCK SD10 L=100 mm							
THS013816	CAPTO C6 COMPATIBLE COLLET CHUCK SD16 L= 80 mm							
THS013817	CAPTO C6 COMPATIBLE COLLET CHUCK SD16 L=100 mm							
THS013818	CAPTO C6 COMPATIBLE COLLET CHUCK SD20 L=100 mm							
THS013819	CAPTO C6 COMPATIBLE COLLET CHUCK SD20 L=150 mm							
THS013820	CAPTO C6 COMPATIBLE COLLET CHUCK SD25 L=100 mm							

<u>THS013821</u>	CAPTO C6 COMPATIBLE COLLET CHUCK SD25 L=150 mm							

Updated 202302

COMPATIBLE LATHES

CAPTO C6 COMPATIBLE COLLET CHUCK SD16 L=100 mm THS013817

SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013785	CAPTO C5 COMPATIBLE COLLET CHUCK SD06 L=100 mm							
THS013786	CAPTO C5 COMPATIBLE COLLET CHUCK SD10 L=100 mm							
THS013787	CAPTO C5 COMPATIBLE COLLET CHUCK SD16 L= 80 mm							
THS013788	CAPTO C5 COMPATIBLE COLLET CHUCK SD16 L=100 mm							
THS013789	CAPTO C5 COMPATIBLE COLLET CHUCK SD20 L=100 mm							
THS013790	CAPTO C5 COMPATIBLE COLLET CHUCK SD20 L=150 mm							
THS013791	CAPTO C5 COMPATIBLE COLLET CHUCK SD25 L=100 mm							
THS013792	CAPTO C5 COMPATIBLE COLLET CHUCK SD25 L=150 mm							
THS013793	CAPTO C6 COMPATIBLE COLLET CHUCK SD06 L=100 mm							
THS013794	CAPTO C6 COMPATIBLE COLLET CHUCK SD10 L=100 mm							
THS013816	CAPTO C6 COMPATIBLE COLLET CHUCK SD16 L= 80 mm							
THS013817	CAPTO C6 COMPATIBLE COLLET CHUCK SD16 L=100 mm							
THS013818	CAPTO C6 COMPATIBLE COLLET CHUCK SD20 L=100 mm							
THS013819	CAPTO C6 COMPATIBLE COLLET CHUCK SD20 L=150 mm							
THS013820	CAPTO C6 COMPATIBLE COLLET CHUCK SD25 L=100 mm							

<u>THS013821</u>	CAPTO C6 COMPATIBLE COLLET CHUCK SD25 L=150 mm							

Updated 202302

COMPATIBLE LATHES

CAPTO C6 COMPATIBLE COLLET CHUCK SD16 L= 80 mm

THS013816

SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013785	CAPTO C5 COMPATIBLE COLLET CHUCK SD06 L=100 mm							
THS013786	CAPTO C5 COMPATIBLE COLLET CHUCK SD10 L=100 mm							
THS013787	CAPTO C5 COMPATIBLE COLLET CHUCK SD16 L= 80 mm							
THS013788	CAPTO C5 COMPATIBLE COLLET CHUCK SD16 L=100 mm							
THS013789	CAPTO C5 COMPATIBLE COLLET CHUCK SD20 L=100 mm							
THS013790	CAPTO C5 COMPATIBLE COLLET CHUCK SD20 L=150 mm							
THS013791	CAPTO C5 COMPATIBLE COLLET CHUCK SD25 L=100 mm							
THS013792	CAPTO C5 COMPATIBLE COLLET CHUCK SD25 L=150 mm							
THS013793	CAPTO C6 COMPATIBLE COLLET CHUCK SD06 L=100 mm							
THS013794	CAPTO C6 COMPATIBLE COLLET CHUCK SD10 L=100 mm							
THS013816	CAPTO C6 COMPATIBLE COLLET CHUCK SD16 L= 80 mm							
THS013817	CAPTO C6 COMPATIBLE COLLET CHUCK SD16 L=100 mm							
THS013818	CAPTO C6 COMPATIBLE COLLET CHUCK SD20 L=100 mm							
THS013819	CAPTO C6 COMPATIBLE COLLET CHUCK SD20 L=150 mm							
THS013820	CAPTO C6 COMPATIBLE COLLET CHUCK SD25 L=100 mm							

<u>THS013821</u>	CAPTO C6 COMPATIBLE COLLET CHUCK SD25 L=150 mm							

Updated 202302

COMPATIBLE LATHES

CAPTO C6 COMPATIBLE COLLET CHUCK SD10 L=100 mm THS013794

SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013785	CAPTO C5 COMPATIBLE COLLET CHUCK SD06 L=100 mm							
THS013786	CAPTO C5 COMPATIBLE COLLET CHUCK SD10 L=100 mm							
THS013787	CAPTO C5 COMPATIBLE COLLET CHUCK SD16 L= 80 mm							
THS013788	CAPTO C5 COMPATIBLE COLLET CHUCK SD16 L=100 mm							
THS013789	CAPTO C5 COMPATIBLE COLLET CHUCK SD20 L=100 mm							
THS013790	CAPTO C5 COMPATIBLE COLLET CHUCK SD20 L=150 mm							
THS013791	CAPTO C5 COMPATIBLE COLLET CHUCK SD25 L=100 mm							
THS013792	CAPTO C5 COMPATIBLE COLLET CHUCK SD25 L=150 mm							
THS013793	CAPTO C6 COMPATIBLE COLLET CHUCK SD06 L=100 mm							
THS013794	CAPTO C6 COMPATIBLE COLLET CHUCK SD10 L=100 mm							
THS013816	CAPTO C6 COMPATIBLE COLLET CHUCK SD16 L= 80 mm							
THS013817	CAPTO C6 COMPATIBLE COLLET CHUCK SD16 L=100 mm							
THS013818	CAPTO C6 COMPATIBLE COLLET CHUCK SD20 L=100 mm							
THS013819	CAPTO C6 COMPATIBLE COLLET CHUCK SD20 L=150 mm							
THS013820	CAPTO C6 COMPATIBLE COLLET CHUCK SD25 L=100 mm							

<u>THS013821</u>	CAPTO C6 COMPATIBLE COLLET CHUCK SD25 L=150 mm							

Updated 202302

COMPATIBLE LATHES

CAPTO C6 COMPATIBLE COLLET CHUCK SD25 L=100 mm THS013820

SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013785	CAPTO C5 COMPATIBLE COLLET CHUCK SD06 L=100 mm							
THS013786	CAPTO C5 COMPATIBLE COLLET CHUCK SD10 L=100 mm							
THS013787	CAPTO C5 COMPATIBLE COLLET CHUCK SD16 L= 80 mm							
THS013788	CAPTO C5 COMPATIBLE COLLET CHUCK SD16 L=100 mm							
THS013789	CAPTO C5 COMPATIBLE COLLET CHUCK SD20 L=100 mm							
THS013790	CAPTO C5 COMPATIBLE COLLET CHUCK SD20 L=150 mm							
THS013791	CAPTO C5 COMPATIBLE COLLET CHUCK SD25 L=100 mm							
THS013792	CAPTO C5 COMPATIBLE COLLET CHUCK SD25 L=150 mm							
THS013793	CAPTO C6 COMPATIBLE COLLET CHUCK SD06 L=100 mm							
THS013794	CAPTO C6 COMPATIBLE COLLET CHUCK SD10 L=100 mm							
THS013816	CAPTO C6 COMPATIBLE COLLET CHUCK SD16 L= 80 mm							
THS013817	CAPTO C6 COMPATIBLE COLLET CHUCK SD16 L=100 mm							
THS013818	CAPTO C6 COMPATIBLE COLLET CHUCK SD20 L=100 mm							
THS013819	CAPTO C6 COMPATIBLE COLLET CHUCK SD20 L=150 mm							
THS013820	CAPTO C6 COMPATIBLE COLLET CHUCK SD25 L=100 mm							

<u>THS013821</u>	CAPTO C6 COMPATIBLE COLLET CHUCK SD25 L=150 mm							

Updated 202302

COMPATIBLE LATHES

CAPTO C6 COMPATIBLE COLLET CHUCK SD20 L=150 mm THS013819

SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013785	CAPTO C5 COMPATIBLE COLLET CHUCK SD06 L=100 mm							
THS013786	CAPTO C5 COMPATIBLE COLLET CHUCK SD10 L=100 mm							
THS013787	CAPTO C5 COMPATIBLE COLLET CHUCK SD16 L= 80 mm							
THS013788	CAPTO C5 COMPATIBLE COLLET CHUCK SD16 L=100 mm							
THS013789	CAPTO C5 COMPATIBLE COLLET CHUCK SD20 L=100 mm							
THS013790	CAPTO C5 COMPATIBLE COLLET CHUCK SD20 L=150 mm							
THS013791	CAPTO C5 COMPATIBLE COLLET CHUCK SD25 L=100 mm							
THS013792	CAPTO C5 COMPATIBLE COLLET CHUCK SD25 L=150 mm							
THS013793	CAPTO C6 COMPATIBLE COLLET CHUCK SD06 L=100 mm							
THS013794	CAPTO C6 COMPATIBLE COLLET CHUCK SD10 L=100 mm							
THS013816	CAPTO C6 COMPATIBLE COLLET CHUCK SD16 L= 80 mm							
THS013817	CAPTO C6 COMPATIBLE COLLET CHUCK SD16 L=100 mm							
THS013818	CAPTO C6 COMPATIBLE COLLET CHUCK SD20 L=100 mm							
THS013819	CAPTO C6 COMPATIBLE COLLET CHUCK SD20 L=150 mm							
THS013820	CAPTO C6 COMPATIBLE COLLET CHUCK SD25 L=100 mm							

<u>THS013821</u>	CAPTO C6 COMPATIBLE COLLET CHUCK SD25 L=150 mm							

Updated 202302

COMPATIBLE LATHES

CAPTO C6 COMPATIBLE COLLET CHUCK SD20 L=100 mm THS013818

SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013785	CAPTO C5 COMPATIBLE COLLET CHUCK SD06 L=100 mm							
THS013786	CAPTO C5 COMPATIBLE COLLET CHUCK SD10 L=100 mm							
THS013787	CAPTO C5 COMPATIBLE COLLET CHUCK SD16 L= 80 mm							
THS013788	CAPTO C5 COMPATIBLE COLLET CHUCK SD16 L=100 mm							
THS013789	CAPTO C5 COMPATIBLE COLLET CHUCK SD20 L=100 mm							
THS013790	CAPTO C5 COMPATIBLE COLLET CHUCK SD20 L=150 mm							
THS013791	CAPTO C5 COMPATIBLE COLLET CHUCK SD25 L=100 mm							
THS013792	CAPTO C5 COMPATIBLE COLLET CHUCK SD25 L=150 mm							
THS013793	CAPTO C6 COMPATIBLE COLLET CHUCK SD06 L=100 mm							
THS013794	CAPTO C6 COMPATIBLE COLLET CHUCK SD10 L=100 mm							
THS013816	CAPTO C6 COMPATIBLE COLLET CHUCK SD16 L= 80 mm							
THS013817	CAPTO C6 COMPATIBLE COLLET CHUCK SD16 L=100 mm							
THS013818	CAPTO C6 COMPATIBLE COLLET CHUCK SD20 L=100 mm							
THS013819	CAPTO C6 COMPATIBLE COLLET CHUCK SD20 L=150 mm							
THS013820	CAPTO C6 COMPATIBLE COLLET CHUCK SD25 L=100 mm							

<u>THS013821</u>	CAPTO C6 COMPATIBLE COLLET CHUCK SD25 L=150 mm							

Updated 202302

COMPATIBLE LATHES

CAPTO C6 COMPATIBLE COLLET CHUCK SD25 L=150 mm THS013821

SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013785	CAPTO C5 COMPATIBLE COLLET CHUCK SD06 L=100 mm							
THS013786	CAPTO C5 COMPATIBLE COLLET CHUCK SD10 L=100 mm							
THS013787	CAPTO C5 COMPATIBLE COLLET CHUCK SD16 L= 80 mm							
THS013788	CAPTO C5 COMPATIBLE COLLET CHUCK SD16 L=100 mm							
THS013789	CAPTO C5 COMPATIBLE COLLET CHUCK SD20 L=100 mm							
THS013790	CAPTO C5 COMPATIBLE COLLET CHUCK SD20 L=150 mm							
THS013791	CAPTO C5 COMPATIBLE COLLET CHUCK SD25 L=100 mm							
THS013792	CAPTO C5 COMPATIBLE COLLET CHUCK SD25 L=150 mm							
THS013793	CAPTO C6 COMPATIBLE COLLET CHUCK SD06 L=100 mm							
THS013794	CAPTO C6 COMPATIBLE COLLET CHUCK SD10 L=100 mm							
THS013816	CAPTO C6 COMPATIBLE COLLET CHUCK SD16 L= 80 mm							
THS013817	CAPTO C6 COMPATIBLE COLLET CHUCK SD16 L=100 mm							
THS013818	CAPTO C6 COMPATIBLE COLLET CHUCK SD20 L=100 mm							
THS013819	CAPTO C6 COMPATIBLE COLLET CHUCK SD20 L=150 mm							
THS013820	CAPTO C6 COMPATIBLE COLLET CHUCK SD25 L=100 mm							

THS013821	CAPTO C6 COMPATIBLE COLLET CHUCK SD25 L=150 mm							

Updated 202302

COMPATIBLE LATHES

CAPTO C5 COMPATIBLE PSC SHANK COLLET CHUCK ER16 L=100 mm THS013739

SKU	L	D	Clamping Range	Weight(kg)
THS013739	100	30	0.5-10	1
THS013740	100	35	1.0-13	1.1
THS013741	100	42	1.0-16	1.4
THS013742	100	50	2.0-20	1.7
THS013743	100	30	0.5-10	1.3
THS013744	100	35	1.0-13	1.4
THS013745	100	42	1.0-16	1.5
THS013746	100	50	2.0-20	1.7
THS013747	150	50	2.0-20	2.4
THS013748	100	63	3.0-26	1.8
THS013749	150	63	3.0-26	2.8

Updated 2021.05.12

SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013739	CAPTO C5 COMPATIBLE PSC SHANK COLLET CHUCK ER16 L=100 mm							
THS013740	CAPTO C5 COMPATIBLE COLLET CHUCK ER20 L=100 mm							
THS013741	CAPTO C5 COMPATIBLE COLLET CHUCK ER25 L=100 mm							
THS013742	CAPTO C5 COMPATIBLE COLLET CHUCK ER32 L=100 mm							
THS013743	CAPTO C6 COMPATIBLE COLLET CHUCK ER16 L=100 mm							
THS013744	CAPTO C6 COMPATIBLE COLLET CHUCK ER20 L=100 mm							
THS013745	CAPTO C6 COMPATIBLE COLLET CHUCK ER25 L=100 mm							
THS013746	CAPTO C6 COMPATIBLE COLLET CHUCK ER32 L=100 mm							

<u>THS013747</u>	CAPTO C6 COMPATIBLE COLLET CHUCK ER32 L=150 mm							
<u>THS013748</u>	CAPTO C6 COMPATIBLE COLLET CHUCK ER40 L=100 mm							
<u>THS013749</u>	CAPTO C6 COMPATIBLE COLLET CHUCK ER40 L=150 mm							

Updated 202302

COMPATIBLE LATHES

CAPTO C5 COMPATIBLE COLLET CHUCK ER32 L=100 mm THS013742

SKU	L	D	Clamping Range	Weight(kg)
THS013739	100	30	0.5-10	1
THS013740	100	35	1.0-13	1.1
THS013741	100	42	1.0-16	1.4
THS013742	100	50	2.0-20	1.7
THS013743	100	30	0.5-10	1.3
THS013744	100	35	1.0-13	1.4
THS013745	100	42	1.0-16	1.5
THS013746	100	50	2.0-20	1.7
THS013747	150	50	2.0-20	2.4
THS013748	100	63	3.0-26	1.8
THS013749	150	63	3.0-26	2.8

Updated 2021.05.12

SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013739	CAPTO C5 COMPATIBLE PSC SHANK COLLET CHUCK ER16 L=100 mm							
THS013740	CAPTO C5 COMPATIBLE COLLET CHUCK ER20 L=100 mm							
THS013741	CAPTO C5 COMPATIBLE COLLET CHUCK ER25 L=100 mm							
THS013742	CAPTO C5 COMPATIBLE COLLET CHUCK ER32 L=100 mm							
THS013743	CAPTO C6 COMPATIBLE COLLET CHUCK ER16 L=100 mm							
THS013744	CAPTO C6 COMPATIBLE COLLET CHUCK ER20 L=100 mm							
THS013745	CAPTO C6 COMPATIBLE COLLET CHUCK ER25 L=100 mm							
THS013746	CAPTO C6 COMPATIBLE COLLET CHUCK ER32 L=100 mm							

<u>THS013747</u>	CAPTO C6 COMPATIBLE COLLET CHUCK ER32 L=150 mm							
<u>THS013748</u>	CAPTO C6 COMPATIBLE COLLET CHUCK ER40 L=100 mm							
<u>THS013749</u>	CAPTO C6 COMPATIBLE COLLET CHUCK ER40 L=150 mm							

Updated 202302

COMPATIBLE LATHES

CAPTO C5 COMPATIBLE COLLET CHUCK ER25 L=100 mm THS013741

SKU	L	D	Clamping Range	Weight(kg)
THS013739	100	30	0.5-10	1
THS013740	100	35	1.0-13	1.1
THS013741	100	42	1.0-16	1.4
THS013742	100	50	2.0-20	1.7
THS013743	100	30	0.5-10	1.3
THS013744	100	35	1.0-13	1.4
THS013745	100	42	1.0-16	1.5
THS013746	100	50	2.0-20	1.7
THS013747	150	50	2.0-20	2.4
THS013748	100	63	3.0-26	1.8
THS013749	150	63	3.0-26	2.8

Updated 2021.05.12

SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013739	CAPTO C5 COMPATIBLE PSC SHANK COLLET CHUCK ER16 L=100 mm							
THS013740	CAPTO C5 COMPATIBLE COLLET CHUCK ER20 L=100 mm							
THS013741	CAPTO C5 COMPATIBLE COLLET CHUCK ER25 L=100 mm							
THS013742	CAPTO C5 COMPATIBLE COLLET CHUCK ER32 L=100 mm							
THS013743	CAPTO C6 COMPATIBLE COLLET CHUCK ER16 L=100 mm							
THS013744	CAPTO C6 COMPATIBLE COLLET CHUCK ER20 L=100 mm							
THS013745	CAPTO C6 COMPATIBLE COLLET CHUCK ER25 L=100 mm							
THS013746	CAPTO C6 COMPATIBLE COLLET CHUCK ER32 L=100 mm							

<u>THS013747</u>	CAPTO C6 COMPATIBLE COLLET CHUCK ER32 L=150 mm							
<u>THS013748</u>	CAPTO C6 COMPATIBLE COLLET CHUCK ER40 L=100 mm							
<u>THS013749</u>	CAPTO C6 COMPATIBLE COLLET CHUCK ER40 L=150 mm							

Updated 202302

COMPATIBLE LATHES

CAPTO C5 COMPATIBLE COLLET CHUCK ER20 L=100 mm THS013740

SKU	L	D	Clamping Range	Weight(kg)
THS013739	100	30	0.5-10	1
THS013740	100	35	1.0-13	1.1
THS013741	100	42	1.0-16	1.4
THS013742	100	50	2.0-20	1.7
THS013743	100	30	0.5-10	1.3
THS013744	100	35	1.0-13	1.4
THS013745	100	42	1.0-16	1.5
THS013746	100	50	2.0-20	1.7
THS013747	150	50	2.0-20	2.4
THS013748	100	63	3.0-26	1.8
THS013749	150	63	3.0-26	2.8

Updated 2021.05.12

SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013739	CAPTO C5 COMPATIBLE PSC SHANK COLLET CHUCK ER16 L=100 mm							
THS013740	CAPTO C5 COMPATIBLE COLLET CHUCK ER20 L=100 mm							
THS013741	CAPTO C5 COMPATIBLE COLLET CHUCK ER25 L=100 mm							
THS013742	CAPTO C5 COMPATIBLE COLLET CHUCK ER32 L=100 mm							
THS013743	CAPTO C6 COMPATIBLE COLLET CHUCK ER16 L=100 mm							
THS013744	CAPTO C6 COMPATIBLE COLLET CHUCK ER20 L=100 mm							
THS013745	CAPTO C6 COMPATIBLE COLLET CHUCK ER25 L=100 mm							
THS013746	CAPTO C6 COMPATIBLE COLLET CHUCK ER32 L=100 mm							

<u>THS013747</u>	CAPTO C6 COMPATIBLE COLLET CHUCK ER32 L=150 mm							
<u>THS013748</u>	CAPTO C6 COMPATIBLE COLLET CHUCK ER40 L=100 mm							
<u>THS013749</u>	CAPTO C6 COMPATIBLE COLLET CHUCK ER40 L=150 mm							

Updated 202302

COMPATIBLE LATHES

CAPTO C6 COMPATIBLE COLLET CHUCK ER25 L=100 mm THS013745

SKU	L	D	Clamping Range	Weight(kg)
THS013739	100	30	0.5-10	1
THS013740	100	35	1.0-13	1.1
THS013741	100	42	1.0-16	1.4
THS013742	100	50	2.0-20	1.7
THS013743	100	30	0.5-10	1.3
THS013744	100	35	1.0-13	1.4
THS013745	100	42	1.0-16	1.5
THS013746	100	50	2.0-20	1.7
THS013747	150	50	2.0-20	2.4
THS013748	100	63	3.0-26	1.8
THS013749	150	63	3.0-26	2.8

Updated 2021.05.12

SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013739	CAPTO C5 COMPATIBLE PSC SHANK COLLET CHUCK ER16 L=100 mm							
THS013740	CAPTO C5 COMPATIBLE COLLET CHUCK ER20 L=100 mm							
THS013741	CAPTO C5 COMPATIBLE COLLET CHUCK ER25 L=100 mm							
THS013742	CAPTO C5 COMPATIBLE COLLET CHUCK ER32 L=100 mm							
THS013743	CAPTO C6 COMPATIBLE COLLET CHUCK ER16 L=100 mm							
THS013744	CAPTO C6 COMPATIBLE COLLET CHUCK ER20 L=100 mm							
THS013745	CAPTO C6 COMPATIBLE COLLET CHUCK ER25 L=100 mm							
THS013746	CAPTO C6 COMPATIBLE COLLET CHUCK ER32 L=100 mm							

<u>THS013747</u>	CAPTO C6 COMPATIBLE COLLET CHUCK ER32 L=150 mm							
<u>THS013748</u>	CAPTO C6 COMPATIBLE COLLET CHUCK ER40 L=100 mm							
<u>THS013749</u>	CAPTO C6 COMPATIBLE COLLET CHUCK ER40 L=150 mm							

Updated 202302

COMPATIBLE LATHES

CAPTO C6 COMPATIBLE COLLET CHUCK ER20 L=100 mm THS013744

SKU	L	D	Clamping Range	Weight(kg)
THS013739	100	30	0.5-10	1
THS013740	100	35	1.0-13	1.1
THS013741	100	42	1.0-16	1.4
THS013742	100	50	2.0-20	1.7
THS013743	100	30	0.5-10	1.3
THS013744	100	35	1.0-13	1.4
THS013745	100	42	1.0-16	1.5
THS013746	100	50	2.0-20	1.7
THS013747	150	50	2.0-20	2.4
THS013748	100	63	3.0-26	1.8
THS013749	150	63	3.0-26	2.8

Updated 2021.05.12

SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013739	CAPTO C5 COMPATIBLE PSC SHANK COLLET CHUCK ER16 L=100 mm							
THS013740	CAPTO C5 COMPATIBLE COLLET CHUCK ER20 L=100 mm							
THS013741	CAPTO C5 COMPATIBLE COLLET CHUCK ER25 L=100 mm							
THS013742	CAPTO C5 COMPATIBLE COLLET CHUCK ER32 L=100 mm							
THS013743	CAPTO C6 COMPATIBLE COLLET CHUCK ER16 L=100 mm							
THS013744	CAPTO C6 COMPATIBLE COLLET CHUCK ER20 L=100 mm							
THS013745	CAPTO C6 COMPATIBLE COLLET CHUCK ER25 L=100 mm							
THS013746	CAPTO C6 COMPATIBLE COLLET CHUCK ER32 L=100 mm							

<u>THS013747</u>	CAPTO C6 COMPATIBLE COLLET CHUCK ER32 L=150 mm							
<u>THS013748</u>	CAPTO C6 COMPATIBLE COLLET CHUCK ER40 L=100 mm							
<u>THS013749</u>	CAPTO C6 COMPATIBLE COLLET CHUCK ER40 L=150 mm							

Updated 202302

COMPATIBLE LATHES

CAPTO C6 COMPATIBLE COLLET CHUCK ER16 L=100 mm THS013743

SKU	L	D	Clamping Range	Weight(kg)
THS013739	100	30	0.5-10	1
THS013740	100	35	1.0-13	1.1
THS013741	100	42	1.0-16	1.4
THS013742	100	50	2.0-20	1.7
THS013743	100	30	0.5-10	1.3
THS013744	100	35	1.0-13	1.4
THS013745	100	42	1.0-16	1.5
THS013746	100	50	2.0-20	1.7
THS013747	150	50	2.0-20	2.4
THS013748	100	63	3.0-26	1.8
THS013749	150	63	3.0-26	2.8

Updated 2021.05.12

SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013739	CAPTO C5 COMPATIBLE PSC SHANK COLLET CHUCK ER16 L=100 mm							
THS013740	CAPTO C5 COMPATIBLE COLLET CHUCK ER20 L=100 mm							
THS013741	CAPTO C5 COMPATIBLE COLLET CHUCK ER25 L=100 mm							
THS013742	CAPTO C5 COMPATIBLE COLLET CHUCK ER32 L=100 mm							
THS013743	CAPTO C6 COMPATIBLE COLLET CHUCK ER16 L=100 mm							
THS013744	CAPTO C6 COMPATIBLE COLLET CHUCK ER20 L=100 mm							
THS013745	CAPTO C6 COMPATIBLE COLLET CHUCK ER25 L=100 mm							
THS013746	CAPTO C6 COMPATIBLE COLLET CHUCK ER32 L=100 mm							

<u>THS013747</u>	CAPTO C6 COMPATIBLE COLLET CHUCK ER32 L=150 mm							
<u>THS013748</u>	CAPTO C6 COMPATIBLE COLLET CHUCK ER40 L=100 mm							
<u>THS013749</u>	CAPTO C6 COMPATIBLE COLLET CHUCK ER40 L=150 mm							

Updated 202302

COMPATIBLE LATHES

CAPTO C6 COMPATIBLE COLLET CHUCK ER32 L=100 mm THS013746

SKU	L	D	Clamping Range	Weight(kg)
THS013739	100	30	0.5-10	1
THS013740	100	35	1.0-13	1.1
THS013741	100	42	1.0-16	1.4
THS013742	100	50	2.0-20	1.7
THS013743	100	30	0.5-10	1.3
THS013744	100	35	1.0-13	1.4
THS013745	100	42	1.0-16	1.5
THS013746	100	50	2.0-20	1.7
THS013747	150	50	2.0-20	2.4
THS013748	100	63	3.0-26	1.8
THS013749	150	63	3.0-26	2.8

Updated 2021.05.12

SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013739	CAPTO C5 COMPATIBLE PSC SHANK COLLET CHUCK ER16 L=100 mm							
THS013740	CAPTO C5 COMPATIBLE COLLET CHUCK ER20 L=100 mm							
THS013741	CAPTO C5 COMPATIBLE COLLET CHUCK ER25 L=100 mm							
THS013742	CAPTO C5 COMPATIBLE COLLET CHUCK ER32 L=100 mm							
THS013743	CAPTO C6 COMPATIBLE COLLET CHUCK ER16 L=100 mm							
THS013744	CAPTO C6 COMPATIBLE COLLET CHUCK ER20 L=100 mm							
THS013745	CAPTO C6 COMPATIBLE COLLET CHUCK ER25 L=100 mm							
THS013746	CAPTO C6 COMPATIBLE COLLET CHUCK ER32 L=100 mm							

<u>THS013747</u>	CAPTO C6 COMPATIBLE COLLET CHUCK ER32 L=150 mm							
<u>THS013748</u>	CAPTO C6 COMPATIBLE COLLET CHUCK ER40 L=100 mm							
<u>THS013749</u>	CAPTO C6 COMPATIBLE COLLET CHUCK ER40 L=150 mm							

Updated 202302

COMPATIBLE LATHES

CAPTO C6 COMPATIBLE COLLET CHUCK ER32 L=150 mm THS013747

SKU	L	D	Clamping Range	Weight(kg)
THS013739	100	30	0.5-10	1
THS013740	100	35	1.0-13	1.1
THS013741	100	42	1.0-16	1.4
THS013742	100	50	2.0-20	1.7
THS013743	100	30	0.5-10	1.3
THS013744	100	35	1.0-13	1.4
THS013745	100	42	1.0-16	1.5
THS013746	100	50	2.0-20	1.7
THS013747	150	50	2.0-20	2.4
THS013748	100	63	3.0-26	1.8
THS013749	150	63	3.0-26	2.8

Updated 2021.05.12

SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013739	CAPTO C5 COMPATIBLE PSC SHANK COLLET CHUCK ER16 L=100 mm							
THS013740	CAPTO C5 COMPATIBLE COLLET CHUCK ER20 L=100 mm							
THS013741	CAPTO C5 COMPATIBLE COLLET CHUCK ER25 L=100 mm							
THS013742	CAPTO C5 COMPATIBLE COLLET CHUCK ER32 L=100 mm							
THS013743	CAPTO C6 COMPATIBLE COLLET CHUCK ER16 L=100 mm							
THS013744	CAPTO C6 COMPATIBLE COLLET CHUCK ER20 L=100 mm							
THS013745	CAPTO C6 COMPATIBLE COLLET CHUCK ER25 L=100 mm							
THS013746	CAPTO C6 COMPATIBLE COLLET CHUCK ER32 L=100 mm							

THS013747	CAPTO C6 COMPATIBLE COLLET CHUCK ER32 L=150 mm							
THS013748	CAPTO C6 COMPATIBLE COLLET CHUCK ER40 L=100 mm							
THS013749	CAPTO C6 COMPATIBLE COLLET CHUCK ER40 L=150 mm							

Updated 202302

COMPATIBLE LATHES

CAPTO C6 COMPATIBLE COLLET CHUCK ER40 L=100 mm THS013748

SKU	L	D	Clamping Range	Weight(kg)
THS013739	100	30	0.5-10	1
THS013740	100	35	1.0-13	1.1
THS013741	100	42	1.0-16	1.4
THS013742	100	50	2.0-20	1.7
THS013743	100	30	0.5-10	1.3
THS013744	100	35	1.0-13	1.4
THS013745	100	42	1.0-16	1.5
THS013746	100	50	2.0-20	1.7
THS013747	150	50	2.0-20	2.4
THS013748	100	63	3.0-26	1.8
THS013749	150	63	3.0-26	2.8

Updated 2021.05.12

SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013739	CAPTO C5 COMPATIBLE PSC SHANK COLLET CHUCK ER16 L=100 mm							
THS013740	CAPTO C5 COMPATIBLE COLLET CHUCK ER20 L=100 mm							
THS013741	CAPTO C5 COMPATIBLE COLLET CHUCK ER25 L=100 mm							
THS013742	CAPTO C5 COMPATIBLE COLLET CHUCK ER32 L=100 mm							
THS013743	CAPTO C6 COMPATIBLE COLLET CHUCK ER16 L=100 mm							
THS013744	CAPTO C6 COMPATIBLE COLLET CHUCK ER20 L=100 mm							
THS013745	CAPTO C6 COMPATIBLE COLLET CHUCK ER25 L=100 mm							
THS013746	CAPTO C6 COMPATIBLE COLLET CHUCK ER32 L=100 mm							

THS013747	CAPTO C6 COMPATIBLE COLLET CHUCK ER32 L=150 mm							
THS013748	CAPTO C6 COMPATIBLE COLLET CHUCK ER40 L=100 mm							
THS013749	CAPTO C6 COMPATIBLE COLLET CHUCK ER40 L=150 mm							

Updated 202302

COMPATIBLE LATHES

CAPTO C6 COMPATIBLE COLLET CHUCK ER40 L=150 mm THS013749

SKU	L	D	Clamping Range	Weight(kg)
THS013739	100	30	0.5-10	1
THS013740	100	35	1.0-13	1.1
THS013741	100	42	1.0-16	1.4
THS013742	100	50	2.0-20	1.7
THS013743	100	30	0.5-10	1.3
THS013744	100	35	1.0-13	1.4
THS013745	100	42	1.0-16	1.5
THS013746	100	50	2.0-20	1.7
THS013747	150	50	2.0-20	2.4
THS013748	100	63	3.0-26	1.8
THS013749	150	63	3.0-26	2.8

Updated 2021.05.12

SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013739	CAPTO C5 COMPATIBLE PSC SHANK COLLET CHUCK ER16 L=100 mm							
THS013740	CAPTO C5 COMPATIBLE COLLET CHUCK ER20 L=100 mm							
THS013741	CAPTO C5 COMPATIBLE COLLET CHUCK ER25 L=100 mm							
THS013742	CAPTO C5 COMPATIBLE COLLET CHUCK ER32 L=100 mm							
THS013743	CAPTO C6 COMPATIBLE COLLET CHUCK ER16 L=100 mm							
THS013744	CAPTO C6 COMPATIBLE COLLET CHUCK ER20 L=100 mm							
THS013745	CAPTO C6 COMPATIBLE COLLET CHUCK ER25 L=100 mm							
THS013746	CAPTO C6 COMPATIBLE COLLET CHUCK ER32 L=100 mm							

THS013747	CAPTO C6 COMPATIBLE COLLET CHUCK ER32 L=150 mm							
THS013748	CAPTO C6 COMPATIBLE COLLET CHUCK ER40 L=100 mm							
THS013749	CAPTO C6 COMPATIBLE COLLET CHUCK ER40 L=150 mm							

Updated 202302

COMPATIBLE LATHES

CAPTO C5 COMPATIBLE BORING HOLDER ECK0 L=100 mm THS013750

SKU	D1	D2	M	L	L1	L2	L3	Weight(kg)
THS013750	21	25	85	100	140	109	45	0.6
THS013751	23	36	100	100	140	109	60	0.6
THS013752	29	-	114	100	145	114	-	0.8
THS013753	29	40	121	125	170	139	76	1.0
THS013754	37	-	128	100	155	128	-	1.0
THS013755	37	-	149	125	180	149	-	1.2
THS013756	48	-	129	100	160	129	-	1.3
THS013757	48	-	153	125	185	153	-	1.6
THS013758	60	-	144	100	175	144	-	1.5
THS013759	60	-	169	125	200	169	-	2.0
THS013760	21	25	85	100	140	109	45	1.0
THS013761	23	36	100	100	140	109	60	1.0
THS013762	29	-	114	100	145	114	-	1.2
THS013763	29	40	121	125	170	139	76	1.4
THS013764	37	-	128	100	155	128	-	1.4
THS013765	37	-	149	125	180	149	-	1.6
THS013766	48	-	129	100	160	129	-	1.7
THS013767	48	-	153	125	185	153	-	2.0
THS013768	60	-	144	100	175	144	-	1.9
THS013769	60	-	169	125	200	169	-	2.4

Updated 2021.05.12

* Compatible with Capto tool system. TOOL HOLDER SHOP Inc. products are not affiliated with or endorsed by Sandvik AB.

SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013750	CAPTO C5 COMPATIBLE BORING HOLDER ECK0 L=100 mm							
THS013751	CAPTO C5 COMPATIBLE BORING HOLDER ECK1 L=100 mm							

<u>THS013752</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK2 L=100 mm
<u>THS013753</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK2 L=125 mm
<u>THS013754</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK3 L=100 mm
<u>THS013755</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK3 L=125 mm
<u>THS013756</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK4 L=100 mm
<u>THS013757</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK4 L=125 mm
<u>THS013758</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK5 L=100 mm
<u>THS013759</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK5 L=125 mm
<u>THS013760</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK0 L=100 mm
<u>THS013761</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK1 L=100 mm
<u>THS013762</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK2 L=100 mm
<u>THS013763</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK2 L=125 mm
<u>THS013764</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK3 L=100 mm
<u>THS013765</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK3 L=125 mm
<u>THS013766</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK4 L=100 mm
<u>THS013767</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK4 L=125 mm
<u>THS013768</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK5 L=100 mm
<u>THS013769</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK5 L=125 mm

Updated 202302

COMPATIBLE LATHES

CAPTO C5 COMPATIBLE BORING HOLDER ECK1 L=100 mm THS013751

SKU	D1	D2	M	L	L1	L2	L3	Weight(kg)
THS013750	21	25	85	100	140	109	45	0.6
THS013751	23	36	100	100	140	109	60	0.6
THS013752	29	-	114	100	145	114	-	0.8
THS013753	29	40	121	125	170	139	76	1.0
THS013754	37	-	128	100	155	128	-	1.0
THS013755	37	-	149	125	180	149	-	1.2
THS013756	48	-	129	100	160	129	-	1.3
THS013757	48	-	153	125	185	153	-	1.6
THS013758	60	-	144	100	175	144	-	1.5
THS013759	60	-	169	125	200	169	-	2.0
THS013760	21	25	85	100	140	109	45	1.0
THS013761	23	36	100	100	140	109	60	1.0
THS013762	29	-	114	100	145	114	-	1.2
THS013763	29	40	121	125	170	139	76	1.4
THS013764	37	-	128	100	155	128	-	1.4
THS013765	37	-	149	125	180	149	-	1.6
THS013766	48	-	129	100	160	129	-	1.7
THS013767	48	-	153	125	185	153	-	2.0
THS013768	60	-	144	100	175	144	-	1.9
THS013769	60	-	169	125	200	169	-	2.4

Updated 2021.05.12

* Compatible with Capto tool system. TOOL HOLDER SHOP Inc. products are not affiliated with or endorsed by Sandvik AB.

SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013750	CAPTO C5 COMPATIBLE BORING HOLDER ECK0 L=100 mm							
THS013751	CAPTO C5 COMPATIBLE BORING HOLDER ECK1 L=100 mm							

<u>THS013752</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK2 L=100 mm
<u>THS013753</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK2 L=125 mm
<u>THS013754</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK3 L=100 mm
<u>THS013755</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK3 L=125 mm
<u>THS013756</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK4 L=100 mm
<u>THS013757</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK4 L=125 mm
<u>THS013758</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK5 L=100 mm
<u>THS013759</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK5 L=125 mm
<u>THS013760</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK0 L=100 mm
<u>THS013761</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK1 L=100 mm
<u>THS013762</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK2 L=100 mm
<u>THS013763</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK2 L=125 mm
<u>THS013764</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK3 L=100 mm
<u>THS013765</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK3 L=125 mm
<u>THS013766</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK4 L=100 mm
<u>THS013767</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK4 L=125 mm
<u>THS013768</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK5 L=100 mm
<u>THS013769</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK5 L=125 mm

Updated 202302

COMPATIBLE LATHES

CAPTO C5 COMPATIBLE BORING HOLDER ECK2 L=100 mm THS013752

SKU	D1	D2	M	L	L1	L2	L3	Weight(kg)
THS013750	21	25	85	100	140	109	45	0.6
THS013751	23	36	100	100	140	109	60	0.6
THS013752	29	-	114	100	145	114	-	0.8
THS013753	29	40	121	125	170	139	76	1.0
THS013754	37	-	128	100	155	128	-	1.0
THS013755	37	-	149	125	180	149	-	1.2
THS013756	48	-	129	100	160	129	-	1.3
THS013757	48	-	153	125	185	153	-	1.6
THS013758	60	-	144	100	175	144	-	1.5
THS013759	60	-	169	125	200	169	-	2.0
THS013760	21	25	85	100	140	109	45	1.0
THS013761	23	36	100	100	140	109	60	1.0
THS013762	29	-	114	100	145	114	-	1.2
THS013763	29	40	121	125	170	139	76	1.4
THS013764	37	-	128	100	155	128	-	1.4
THS013765	37	-	149	125	180	149	-	1.6
THS013766	48	-	129	100	160	129	-	1.7
THS013767	48	-	153	125	185	153	-	2.0
THS013768	60	-	144	100	175	144	-	1.9
THS013769	60	-	169	125	200	169	-	2.4

Updated 2021.05.12

* Compatible with Capto tool system. TOOL HOLDER SHOP Inc. products are not affiliated with or endorsed by Sandvik AB.

SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013750	CAPTO C5 COMPATIBLE BORING HOLDER ECK0 L=100 mm							
THS013751	CAPTO C5 COMPATIBLE BORING HOLDER ECK1 L=100 mm							

<u>THS013752</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK2 L=100 mm
<u>THS013753</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK2 L=125 mm
<u>THS013754</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK3 L=100 mm
<u>THS013755</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK3 L=125 mm
<u>THS013756</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK4 L=100 mm
<u>THS013757</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK4 L=125 mm
<u>THS013758</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK5 L=100 mm
<u>THS013759</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK5 L=125 mm
<u>THS013760</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK0 L=100 mm
<u>THS013761</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK1 L=100 mm
<u>THS013762</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK2 L=100 mm
<u>THS013763</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK2 L=125 mm
<u>THS013764</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK3 L=100 mm
<u>THS013765</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK3 L=125 mm
<u>THS013766</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK4 L=100 mm
<u>THS013767</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK4 L=125 mm
<u>THS013768</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK5 L=100 mm
<u>THS013769</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK5 L=125 mm

Updated 202302

COMPATIBLE LATHES

CAPTO C5 COMPATIBLE BORING HOLDER ECK3 L=125 mm THS013755

SKU	D1	D2	M	L	L1	L2	L3	Weight(kg)
THS013750	21	25	85	100	140	109	45	0.6
THS013751	23	36	100	100	140	109	60	0.6
THS013752	29	-	114	100	145	114	-	0.8
THS013753	29	40	121	125	170	139	76	1.0
THS013754	37	-	128	100	155	128	-	1.0
THS013755	37	-	149	125	180	149	-	1.2
THS013756	48	-	129	100	160	129	-	1.3
THS013757	48	-	153	125	185	153	-	1.6
THS013758	60	-	144	100	175	144	-	1.5
THS013759	60	-	169	125	200	169	-	2.0
THS013760	21	25	85	100	140	109	45	1.0
THS013761	23	36	100	100	140	109	60	1.0
THS013762	29	-	114	100	145	114	-	1.2
THS013763	29	40	121	125	170	139	76	1.4
THS013764	37	-	128	100	155	128	-	1.4
THS013765	37	-	149	125	180	149	-	1.6
THS013766	48	-	129	100	160	129	-	1.7
THS013767	48	-	153	125	185	153	-	2.0
THS013768	60	-	144	100	175	144	-	1.9
THS013769	60	-	169	125	200	169	-	2.4

Updated 2021.05.12

* Compatible with Capto tool system. TOOL HOLDER SHOP Inc. products are not affiliated with or endorsed by Sandvik AB.

SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013750	CAPTO C5 COMPATIBLE BORING HOLDER ECK0 L=100 mm							
THS013751	CAPTO C5 COMPATIBLE BORING HOLDER ECK1 L=100 mm							

<u>THS013752</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK2 L=100 mm
<u>THS013753</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK2 L=125 mm
<u>THS013754</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK3 L=100 mm
<u>THS013755</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK3 L=125 mm
<u>THS013756</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK4 L=100 mm
<u>THS013757</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK4 L=125 mm
<u>THS013758</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK5 L=100 mm
<u>THS013759</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK5 L=125 mm
<u>THS013760</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK0 L=100 mm
<u>THS013761</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK1 L=100 mm
<u>THS013762</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK2 L=100 mm
<u>THS013763</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK2 L=125 mm
<u>THS013764</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK3 L=100 mm
<u>THS013765</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK3 L=125 mm
<u>THS013766</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK4 L=100 mm
<u>THS013767</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK4 L=125 mm
<u>THS013768</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK5 L=100 mm
<u>THS013769</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK5 L=125 mm

Updated 202302

COMPATIBLE LATHES

CAPTO C5 COMPATIBLE BORING HOLDER ECK2 L=125 mm THS013753

SKU	D1	D2	M	L	L1	L2	L3	Weight(kg)
THS013750	21	25	85	100	140	109	45	0.6
THS013751	23	36	100	100	140	109	60	0.6
THS013752	29	-	114	100	145	114	-	0.8
THS013753	29	40	121	125	170	139	76	1.0
THS013754	37	-	128	100	155	128	-	1.0
THS013755	37	-	149	125	180	149	-	1.2
THS013756	48	-	129	100	160	129	-	1.3
THS013757	48	-	153	125	185	153	-	1.6
THS013758	60	-	144	100	175	144	-	1.5
THS013759	60	-	169	125	200	169	-	2.0
THS013760	21	25	85	100	140	109	45	1.0
THS013761	23	36	100	100	140	109	60	1.0
THS013762	29	-	114	100	145	114	-	1.2
THS013763	29	40	121	125	170	139	76	1.4
THS013764	37	-	128	100	155	128	-	1.4
THS013765	37	-	149	125	180	149	-	1.6
THS013766	48	-	129	100	160	129	-	1.7
THS013767	48	-	153	125	185	153	-	2.0
THS013768	60	-	144	100	175	144	-	1.9
THS013769	60	-	169	125	200	169	-	2.4

Updated 2021.05.12

* Compatible with Capto tool system. TOOL HOLDER SHOP Inc. products are not affiliated with or endorsed by Sandvik AB.

SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013750	CAPTO C5 COMPATIBLE BORING HOLDER ECK0 L=100 mm							
THS013751	CAPTO C5 COMPATIBLE BORING HOLDER ECK1 L=100 mm							

THS013752	CAPTO C5 COMPATIBLE BORING HOLDER ECK2 L=100 mm
THS013753	CAPTO C5 COMPATIBLE BORING HOLDER ECK2 L=125 mm
THS013754	CAPTO C5 COMPATIBLE BORING HOLDER ECK3 L=100 mm
THS013755	CAPTO C5 COMPATIBLE BORING HOLDER ECK3 L=125 mm
THS013756	CAPTO C5 COMPATIBLE BORING HOLDER ECK4 L=100 mm
THS013757	CAPTO C5 COMPATIBLE BORING HOLDER ECK4 L=125 mm
THS013758	CAPTO C5 COMPATIBLE BORING HOLDER ECK5 L=100 mm
THS013759	CAPTO C5 COMPATIBLE BORING HOLDER ECK5 L=125 mm
THS013760	CAPTO C6 COMPATIBLE BORING HOLDER ECK0 L=100 mm
THS013761	CAPTO C6 COMPATIBLE BORING HOLDER ECK1 L=100 mm
THS013762	CAPTO C6 COMPATIBLE BORING HOLDER ECK2 L=100 mm
THS013763	CAPTO C6 COMPATIBLE BORING HOLDER ECK2 L=125 mm
THS013764	CAPTO C6 COMPATIBLE BORING HOLDER ECK3 L=100 mm
THS013765	CAPTO C6 COMPATIBLE BORING HOLDER ECK3 L=125 mm
THS013766	CAPTO C6 COMPATIBLE BORING HOLDER ECK4 L=100 mm
THS013767	CAPTO C6 COMPATIBLE BORING HOLDER ECK4 L=125 mm
THS013768	CAPTO C6 COMPATIBLE BORING HOLDER ECK5 L=100 mm
THS013769	CAPTO C6 COMPATIBLE BORING HOLDER ECK5 L=125 mm

Updated 202302

COMPATIBLE LATHES

CAPTO C5 COMPATIBLE BORING HOLDER ECK3 L=100 mm THS013754

SKU	D1	D2	M	L	L1	L2	L3	Weight(kg)
THS013750	21	25	85	100	140	109	45	0.6
THS013751	23	36	100	100	140	109	60	0.6
THS013752	29	-	114	100	145	114	-	0.8
THS013753	29	40	121	125	170	139	76	1.0
THS013754	37	-	128	100	155	128	-	1.0
THS013755	37	-	149	125	180	149	-	1.2
THS013756	48	-	129	100	160	129	-	1.3
THS013757	48	-	153	125	185	153	-	1.6
THS013758	60	-	144	100	175	144	-	1.5
THS013759	60	-	169	125	200	169	-	2.0
THS013760	21	25	85	100	140	109	45	1.0
THS013761	23	36	100	100	140	109	60	1.0
THS013762	29	-	114	100	145	114	-	1.2
THS013763	29	40	121	125	170	139	76	1.4
THS013764	37	-	128	100	155	128	-	1.4
THS013765	37	-	149	125	180	149	-	1.6
THS013766	48	-	129	100	160	129	-	1.7
THS013767	48	-	153	125	185	153	-	2.0
THS013768	60	-	144	100	175	144	-	1.9
THS013769	60	-	169	125	200	169	-	2.4

Updated 2021.05.12

* Compatible with Capto tool system. TOOL HOLDER SHOP Inc. products are not affiliated with or endorsed by Sandvik AB.

SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013750	CAPTO C5 COMPATIBLE BORING HOLDER ECK0 L=100 mm							
THS013751	CAPTO C5 COMPATIBLE BORING HOLDER ECK1 L=100 mm							

<u>THS013752</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK2 L=100 mm
<u>THS013753</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK2 L=125 mm
<u>THS013754</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK3 L=100 mm
<u>THS013755</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK3 L=125 mm
<u>THS013756</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK4 L=100 mm
<u>THS013757</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK4 L=125 mm
<u>THS013758</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK5 L=100 mm
<u>THS013759</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK5 L=125 mm
<u>THS013760</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK0 L=100 mm
<u>THS013761</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK1 L=100 mm
<u>THS013762</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK2 L=100 mm
<u>THS013763</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK2 L=125 mm
<u>THS013764</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK3 L=100 mm
<u>THS013765</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK3 L=125 mm
<u>THS013766</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK4 L=100 mm
<u>THS013767</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK4 L=125 mm
<u>THS013768</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK5 L=100 mm
<u>THS013769</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK5 L=125 mm

Updated 202302

COMPATIBLE LATHES

CAPTO C5 COMPATIBLE BORING HOLDER ECK4 L=125 mm THS013757

SKU	D1	D2	M	L	L1	L2	L3	Weight(kg)
THS013750	21	25	85	100	140	109	45	0.6
THS013751	23	36	100	100	140	109	60	0.6
THS013752	29	-	114	100	145	114	-	0.8
THS013753	29	40	121	125	170	139	76	1.0
THS013754	37	-	128	100	155	128	-	1.0
THS013755	37	-	149	125	180	149	-	1.2
THS013756	48	-	129	100	160	129	-	1.3
THS013757	48	-	153	125	185	153	-	1.6
THS013758	60	-	144	100	175	144	-	1.5
THS013759	60	-	169	125	200	169	-	2.0
THS013760	21	25	85	100	140	109	45	1.0
THS013761	23	36	100	100	140	109	60	1.0
THS013762	29	-	114	100	145	114	-	1.2
THS013763	29	40	121	125	170	139	76	1.4
THS013764	37	-	128	100	155	128	-	1.4
THS013765	37	-	149	125	180	149	-	1.6
THS013766	48	-	129	100	160	129	-	1.7
THS013767	48	-	153	125	185	153	-	2.0
THS013768	60	-	144	100	175	144	-	1.9
THS013769	60	-	169	125	200	169	-	2.4

Updated 2021.05.12

* Compatible with Capto tool system. TOOL HOLDER SHOP Inc. products are not affiliated with or endorsed by Sandvik AB.

SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013750	CAPTO C5 COMPATIBLE BORING HOLDER ECK0 L=100 mm							
THS013751	CAPTO C5 COMPATIBLE BORING HOLDER ECK1 L=100 mm							

<u>THS013752</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK2 L=100 mm
<u>THS013753</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK2 L=125 mm
<u>THS013754</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK3 L=100 mm
<u>THS013755</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK3 L=125 mm
<u>THS013756</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK4 L=100 mm
<u>THS013757</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK4 L=125 mm
<u>THS013758</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK5 L=100 mm
<u>THS013759</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK5 L=125 mm
<u>THS013760</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK0 L=100 mm
<u>THS013761</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK1 L=100 mm
<u>THS013762</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK2 L=100 mm
<u>THS013763</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK2 L=125 mm
<u>THS013764</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK3 L=100 mm
<u>THS013765</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK3 L=125 mm
<u>THS013766</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK4 L=100 mm
<u>THS013767</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK4 L=125 mm
<u>THS013768</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK5 L=100 mm
<u>THS013769</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK5 L=125 mm

Updated 202302

COMPATIBLE LATHES

CAPTO C5 COMPATIBLE BORING HOLDER ECK4 L=100 mm THS013756

SKU	D1	D2	M	L	L1	L2	L3	Weight(kg)
THS013750	21	25	85	100	140	109	45	0.6
THS013751	23	36	100	100	140	109	60	0.6
THS013752	29	-	114	100	145	114	-	0.8
THS013753	29	40	121	125	170	139	76	1.0
THS013754	37	-	128	100	155	128	-	1.0
THS013755	37	-	149	125	180	149	-	1.2
THS013756	48	-	129	100	160	129	-	1.3
THS013757	48	-	153	125	185	153	-	1.6
THS013758	60	-	144	100	175	144	-	1.5
THS013759	60	-	169	125	200	169	-	2.0
THS013760	21	25	85	100	140	109	45	1.0
THS013761	23	36	100	100	140	109	60	1.0
THS013762	29	-	114	100	145	114	-	1.2
THS013763	29	40	121	125	170	139	76	1.4
THS013764	37	-	128	100	155	128	-	1.4
THS013765	37	-	149	125	180	149	-	1.6
THS013766	48	-	129	100	160	129	-	1.7
THS013767	48	-	153	125	185	153	-	2.0
THS013768	60	-	144	100	175	144	-	1.9
THS013769	60	-	169	125	200	169	-	2.4

Updated 2021.05.12

* Compatible with Capto tool system. TOOL HOLDER SHOP Inc. products are not affiliated with or endorsed by Sandvik AB.

SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013750	CAPTO C5 COMPATIBLE BORING HOLDER ECK0 L=100 mm							
THS013751	CAPTO C5 COMPATIBLE BORING HOLDER ECK1 L=100 mm							

THS013752	CAPTO C5 COMPATIBLE BORING HOLDER ECK2 L=100 mm
THS013753	CAPTO C5 COMPATIBLE BORING HOLDER ECK2 L=125 mm
THS013754	CAPTO C5 COMPATIBLE BORING HOLDER ECK3 L=100 mm
THS013755	CAPTO C5 COMPATIBLE BORING HOLDER ECK3 L=125 mm
THS013756	CAPTO C5 COMPATIBLE BORING HOLDER ECK4 L=100 mm
THS013757	CAPTO C5 COMPATIBLE BORING HOLDER ECK4 L=125 mm
THS013758	CAPTO C5 COMPATIBLE BORING HOLDER ECK5 L=100 mm
THS013759	CAPTO C5 COMPATIBLE BORING HOLDER ECK5 L=125 mm
THS013760	CAPTO C6 COMPATIBLE BORING HOLDER ECK0 L=100 mm
THS013761	CAPTO C6 COMPATIBLE BORING HOLDER ECK1 L=100 mm
THS013762	CAPTO C6 COMPATIBLE BORING HOLDER ECK2 L=100 mm
THS013763	CAPTO C6 COMPATIBLE BORING HOLDER ECK2 L=125 mm
THS013764	CAPTO C6 COMPATIBLE BORING HOLDER ECK3 L=100 mm
THS013765	CAPTO C6 COMPATIBLE BORING HOLDER ECK3 L=125 mm
THS013766	CAPTO C6 COMPATIBLE BORING HOLDER ECK4 L=100 mm
THS013767	CAPTO C6 COMPATIBLE BORING HOLDER ECK4 L=125 mm
THS013768	CAPTO C6 COMPATIBLE BORING HOLDER ECK5 L=100 mm
THS013769	CAPTO C6 COMPATIBLE BORING HOLDER ECK5 L=125 mm

Updated 202302

COMPATIBLE LATHES

CAPTO C5 COMPATIBLE BORING HOLDER ECK5 L=100 mm THS013758

SKU	D1	D2	M	L	L1	L2	L3	Weight(kg)
THS013750	21	25	85	100	140	109	45	0.6
THS013751	23	36	100	100	140	109	60	0.6
THS013752	29	-	114	100	145	114	-	0.8
THS013753	29	40	121	125	170	139	76	1.0
THS013754	37	-	128	100	155	128	-	1.0
THS013755	37	-	149	125	180	149	-	1.2
THS013756	48	-	129	100	160	129	-	1.3
THS013757	48	-	153	125	185	153	-	1.6
THS013758	60	-	144	100	175	144	-	1.5
THS013759	60	-	169	125	200	169	-	2.0
THS013760	21	25	85	100	140	109	45	1.0
THS013761	23	36	100	100	140	109	60	1.0
THS013762	29	-	114	100	145	114	-	1.2
THS013763	29	40	121	125	170	139	76	1.4
THS013764	37	-	128	100	155	128	-	1.4
THS013765	37	-	149	125	180	149	-	1.6
THS013766	48	-	129	100	160	129	-	1.7
THS013767	48	-	153	125	185	153	-	2.0
THS013768	60	-	144	100	175	144	-	1.9
THS013769	60	-	169	125	200	169	-	2.4

Updated 2021.05.12

* Compatible with Capto tool system. TOOL HOLDER SHOP Inc. products are not affiliated with or endorsed by Sandvik AB.

SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013750	CAPTO C5 COMPATIBLE BORING HOLDER ECK0 L=100 mm							
THS013751	CAPTO C5 COMPATIBLE BORING HOLDER ECK1 L=100 mm							

<u>THS013752</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK2 L=100 mm
<u>THS013753</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK2 L=125 mm
<u>THS013754</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK3 L=100 mm
<u>THS013755</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK3 L=125 mm
<u>THS013756</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK4 L=100 mm
<u>THS013757</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK4 L=125 mm
<u>THS013758</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK5 L=100 mm
<u>THS013759</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK5 L=125 mm
<u>THS013760</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK0 L=100 mm
<u>THS013761</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK1 L=100 mm
<u>THS013762</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK2 L=100 mm
<u>THS013763</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK2 L=125 mm
<u>THS013764</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK3 L=100 mm
<u>THS013765</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK3 L=125 mm
<u>THS013766</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK4 L=100 mm
<u>THS013767</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK4 L=125 mm
<u>THS013768</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK5 L=100 mm
<u>THS013769</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK5 L=125 mm

Updated 202302

COMPATIBLE LATHES

CAPTO C6 COMPATIBLE BORING HOLDER ECK0 L=100 mm THS013760

SKU	D1	D2	M	L	L1	L2	L3	Weight(kg)
THS013750	21	25	85	100	140	109	45	0.6
THS013751	23	36	100	100	140	109	60	0.6
THS013752	29	-	114	100	145	114	-	0.8
THS013753	29	40	121	125	170	139	76	1.0
THS013754	37	-	128	100	155	128	-	1.0
THS013755	37	-	149	125	180	149	-	1.2
THS013756	48	-	129	100	160	129	-	1.3
THS013757	48	-	153	125	185	153	-	1.6
THS013758	60	-	144	100	175	144	-	1.5
THS013759	60	-	169	125	200	169	-	2.0
THS013760	21	25	85	100	140	109	45	1.0
THS013761	23	36	100	100	140	109	60	1.0
THS013762	29	-	114	100	145	114	-	1.2
THS013763	29	40	121	125	170	139	76	1.4
THS013764	37	-	128	100	155	128	-	1.4
THS013765	37	-	149	125	180	149	-	1.6
THS013766	48	-	129	100	160	129	-	1.7
THS013767	48	-	153	125	185	153	-	2.0
THS013768	60	-	144	100	175	144	-	1.9
THS013769	60	-	169	125	200	169	-	2.4

Updated 2021.05.12

* Compatible with Capto tool system. TOOL HOLDER SHOP Inc. products are not affiliated with or endorsed by Sandvik AB.

SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013750	CAPTO C5 COMPATIBLE BORING HOLDER ECK0 L=100 mm							
THS013751	CAPTO C5 COMPATIBLE BORING HOLDER ECK1 L=100 mm							

<u>THS013752</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK2 L=100 mm
<u>THS013753</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK2 L=125 mm
<u>THS013754</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK3 L=100 mm
<u>THS013755</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK3 L=125 mm
<u>THS013756</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK4 L=100 mm
<u>THS013757</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK4 L=125 mm
<u>THS013758</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK5 L=100 mm
<u>THS013759</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK5 L=125 mm
<u>THS013760</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK0 L=100 mm
<u>THS013761</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK1 L=100 mm
<u>THS013762</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK2 L=100 mm
<u>THS013763</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK2 L=125 mm
<u>THS013764</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK3 L=100 mm
<u>THS013765</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK3 L=125 mm
<u>THS013766</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK4 L=100 mm
<u>THS013767</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK4 L=125 mm
<u>THS013768</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK5 L=100 mm
<u>THS013769</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK5 L=125 mm

Updated 202302

COMPATIBLE LATHES

CAPTO C6 COMPATIBLE BORING HOLDER ECK1 L=100 mm THS013761

SKU	D1	D2	M	L	L1	L2	L3	Weight(kg)
THS013750	21	25	85	100	140	109	45	0.6
THS013751	23	36	100	100	140	109	60	0.6
THS013752	29	-	114	100	145	114	-	0.8
THS013753	29	40	121	125	170	139	76	1.0
THS013754	37	-	128	100	155	128	-	1.0
THS013755	37	-	149	125	180	149	-	1.2
THS013756	48	-	129	100	160	129	-	1.3
THS013757	48	-	153	125	185	153	-	1.6
THS013758	60	-	144	100	175	144	-	1.5
THS013759	60	-	169	125	200	169	-	2.0
THS013760	21	25	85	100	140	109	45	1.0
THS013761	23	36	100	100	140	109	60	1.0
THS013762	29	-	114	100	145	114	-	1.2
THS013763	29	40	121	125	170	139	76	1.4
THS013764	37	-	128	100	155	128	-	1.4
THS013765	37	-	149	125	180	149	-	1.6
THS013766	48	-	129	100	160	129	-	1.7
THS013767	48	-	153	125	185	153	-	2.0
THS013768	60	-	144	100	175	144	-	1.9
THS013769	60	-	169	125	200	169	-	2.4

Updated 2021.05.12

* Compatible with Capto tool system. TOOL HOLDER SHOP Inc. products are not affiliated with or endorsed by Sandvik AB.

SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013750	CAPTO C5 COMPATIBLE BORING HOLDER ECK0 L=100 mm							
THS013751	CAPTO C5 COMPATIBLE BORING HOLDER ECK1 L=100 mm							

THS013752	CAPTO C5 COMPATIBLE BORING HOLDER ECK2 L=100 mm
THS013753	CAPTO C5 COMPATIBLE BORING HOLDER ECK2 L=125 mm
THS013754	CAPTO C5 COMPATIBLE BORING HOLDER ECK3 L=100 mm
THS013755	CAPTO C5 COMPATIBLE BORING HOLDER ECK3 L=125 mm
THS013756	CAPTO C5 COMPATIBLE BORING HOLDER ECK4 L=100 mm
THS013757	CAPTO C5 COMPATIBLE BORING HOLDER ECK4 L=125 mm
THS013758	CAPTO C5 COMPATIBLE BORING HOLDER ECK5 L=100 mm
THS013759	CAPTO C5 COMPATIBLE BORING HOLDER ECK5 L=125 mm
THS013760	CAPTO C6 COMPATIBLE BORING HOLDER ECK0 L=100 mm
THS013761	CAPTO C6 COMPATIBLE BORING HOLDER ECK1 L=100 mm
THS013762	CAPTO C6 COMPATIBLE BORING HOLDER ECK2 L=100 mm
THS013763	CAPTO C6 COMPATIBLE BORING HOLDER ECK2 L=125 mm
THS013764	CAPTO C6 COMPATIBLE BORING HOLDER ECK3 L=100 mm
THS013765	CAPTO C6 COMPATIBLE BORING HOLDER ECK3 L=125 mm
THS013766	CAPTO C6 COMPATIBLE BORING HOLDER ECK4 L=100 mm
THS013767	CAPTO C6 COMPATIBLE BORING HOLDER ECK4 L=125 mm
THS013768	CAPTO C6 COMPATIBLE BORING HOLDER ECK5 L=100 mm
THS013769	CAPTO C6 COMPATIBLE BORING HOLDER ECK5 L=125 mm

Updated 202302

COMPATIBLE LATHES

CAPTO C5 COMPATIBLE BORING HOLDER ECK5 L=125 mm THS013759

SKU	D1	D2	M	L	L1	L2	L3	Weight(kg)
THS013750	21	25	85	100	140	109	45	0.6
THS013751	23	36	100	100	140	109	60	0.6
THS013752	29	-	114	100	145	114	-	0.8
THS013753	29	40	121	125	170	139	76	1.0
THS013754	37	-	128	100	155	128	-	1.0
THS013755	37	-	149	125	180	149	-	1.2
THS013756	48	-	129	100	160	129	-	1.3
THS013757	48	-	153	125	185	153	-	1.6
THS013758	60	-	144	100	175	144	-	1.5
THS013759	60	-	169	125	200	169	-	2.0
THS013760	21	25	85	100	140	109	45	1.0
THS013761	23	36	100	100	140	109	60	1.0
THS013762	29	-	114	100	145	114	-	1.2
THS013763	29	40	121	125	170	139	76	1.4
THS013764	37	-	128	100	155	128	-	1.4
THS013765	37	-	149	125	180	149	-	1.6
THS013766	48	-	129	100	160	129	-	1.7
THS013767	48	-	153	125	185	153	-	2.0
THS013768	60	-	144	100	175	144	-	1.9
THS013769	60	-	169	125	200	169	-	2.4

Updated 2021.05.12

* Compatible with Capto tool system. TOOL HOLDER SHOP Inc. products are not affiliated with or endorsed by Sandvik AB.

SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013750	CAPTO C5 COMPATIBLE BORING HOLDER ECK0 L=100 mm							
THS013751	CAPTO C5 COMPATIBLE BORING HOLDER ECK1 L=100 mm							

THS013752	CAPTO C5 COMPATIBLE BORING HOLDER ECK2 L=100 mm
THS013753	CAPTO C5 COMPATIBLE BORING HOLDER ECK2 L=125 mm
THS013754	CAPTO C5 COMPATIBLE BORING HOLDER ECK3 L=100 mm
THS013755	CAPTO C5 COMPATIBLE BORING HOLDER ECK3 L=125 mm
THS013756	CAPTO C5 COMPATIBLE BORING HOLDER ECK4 L=100 mm
THS013757	CAPTO C5 COMPATIBLE BORING HOLDER ECK4 L=125 mm
THS013758	CAPTO C5 COMPATIBLE BORING HOLDER ECK5 L=100 mm
THS013759	CAPTO C5 COMPATIBLE BORING HOLDER ECK5 L=125 mm
THS013760	CAPTO C6 COMPATIBLE BORING HOLDER ECK0 L=100 mm
THS013761	CAPTO C6 COMPATIBLE BORING HOLDER ECK1 L=100 mm
THS013762	CAPTO C6 COMPATIBLE BORING HOLDER ECK2 L=100 mm
THS013763	CAPTO C6 COMPATIBLE BORING HOLDER ECK2 L=125 mm
THS013764	CAPTO C6 COMPATIBLE BORING HOLDER ECK3 L=100 mm
THS013765	CAPTO C6 COMPATIBLE BORING HOLDER ECK3 L=125 mm
THS013766	CAPTO C6 COMPATIBLE BORING HOLDER ECK4 L=100 mm
THS013767	CAPTO C6 COMPATIBLE BORING HOLDER ECK4 L=125 mm
THS013768	CAPTO C6 COMPATIBLE BORING HOLDER ECK5 L=100 mm
THS013769	CAPTO C6 COMPATIBLE BORING HOLDER ECK5 L=125 mm

Updated 202302

COMPATIBLE LATHES

CAPTO C6 COMPATIBLE BORING HOLDER ECK2 L=100 mm THS013762

SKU	D1	D2	M	L	L1	L2	L3	Weight(kg)
THS013750	21	25	85	100	140	109	45	0.6
THS013751	23	36	100	100	140	109	60	0.6
THS013752	29	-	114	100	145	114	-	0.8
THS013753	29	40	121	125	170	139	76	1.0
THS013754	37	-	128	100	155	128	-	1.0
THS013755	37	-	149	125	180	149	-	1.2
THS013756	48	-	129	100	160	129	-	1.3
THS013757	48	-	153	125	185	153	-	1.6
THS013758	60	-	144	100	175	144	-	1.5
THS013759	60	-	169	125	200	169	-	2.0
THS013760	21	25	85	100	140	109	45	1.0
THS013761	23	36	100	100	140	109	60	1.0
THS013762	29	-	114	100	145	114	-	1.2
THS013763	29	40	121	125	170	139	76	1.4
THS013764	37	-	128	100	155	128	-	1.4
THS013765	37	-	149	125	180	149	-	1.6
THS013766	48	-	129	100	160	129	-	1.7
THS013767	48	-	153	125	185	153	-	2.0
THS013768	60	-	144	100	175	144	-	1.9
THS013769	60	-	169	125	200	169	-	2.4

Updated 2021.05.12

* Compatible with Capto tool system. TOOL HOLDER SHOP Inc. products are not affiliated with or endorsed by Sandvik AB.

SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013750	CAPTO C5 COMPATIBLE BORING HOLDER ECK0 L=100 mm							
THS013751	CAPTO C5 COMPATIBLE BORING HOLDER ECK1 L=100 mm							

<u>THS013752</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK2 L=100 mm
<u>THS013753</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK2 L=125 mm
<u>THS013754</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK3 L=100 mm
<u>THS013755</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK3 L=125 mm
<u>THS013756</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK4 L=100 mm
<u>THS013757</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK4 L=125 mm
<u>THS013758</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK5 L=100 mm
<u>THS013759</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK5 L=125 mm
<u>THS013760</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK0 L=100 mm
<u>THS013761</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK1 L=100 mm
<u>THS013762</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK2 L=100 mm
<u>THS013763</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK2 L=125 mm
<u>THS013764</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK3 L=100 mm
<u>THS013765</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK3 L=125 mm
<u>THS013766</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK4 L=100 mm
<u>THS013767</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK4 L=125 mm
<u>THS013768</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK5 L=100 mm
<u>THS013769</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK5 L=125 mm

Updated 202302

COMPATIBLE LATHES

CAPTO C6 COMPATIBLE BORING HOLDER ECK3 L=100 mm THS013764

SKU	D1	D2	M	L	L1	L2	L3	Weight(kg)
THS013750	21	25	85	100	140	109	45	0.6
THS013751	23	36	100	100	140	109	60	0.6
THS013752	29	-	114	100	145	114	-	0.8
THS013753	29	40	121	125	170	139	76	1.0
THS013754	37	-	128	100	155	128	-	1.0
THS013755	37	-	149	125	180	149	-	1.2
THS013756	48	-	129	100	160	129	-	1.3
THS013757	48	-	153	125	185	153	-	1.6
THS013758	60	-	144	100	175	144	-	1.5
THS013759	60	-	169	125	200	169	-	2.0
THS013760	21	25	85	100	140	109	45	1.0
THS013761	23	36	100	100	140	109	60	1.0
THS013762	29	-	114	100	145	114	-	1.2
THS013763	29	40	121	125	170	139	76	1.4
THS013764	37	-	128	100	155	128	-	1.4
THS013765	37	-	149	125	180	149	-	1.6
THS013766	48	-	129	100	160	129	-	1.7
THS013767	48	-	153	125	185	153	-	2.0
THS013768	60	-	144	100	175	144	-	1.9
THS013769	60	-	169	125	200	169	-	2.4

Updated 2021.05.12

* Compatible with Capto tool system. TOOL HOLDER SHOP Inc. products are not affiliated with or endorsed by Sandvik AB.

SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013750	CAPTO C5 COMPATIBLE BORING HOLDER ECK0 L=100 mm							
THS013751	CAPTO C5 COMPATIBLE BORING HOLDER ECK1 L=100 mm							

<u>THS013752</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK2 L=100 mm
<u>THS013753</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK2 L=125 mm
<u>THS013754</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK3 L=100 mm
<u>THS013755</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK3 L=125 mm
<u>THS013756</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK4 L=100 mm
<u>THS013757</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK4 L=125 mm
<u>THS013758</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK5 L=100 mm
<u>THS013759</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK5 L=125 mm
<u>THS013760</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK0 L=100 mm
<u>THS013761</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK1 L=100 mm
<u>THS013762</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK2 L=100 mm
<u>THS013763</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK2 L=125 mm
<u>THS013764</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK3 L=100 mm
<u>THS013765</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK3 L=125 mm
<u>THS013766</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK4 L=100 mm
<u>THS013767</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK4 L=125 mm
<u>THS013768</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK5 L=100 mm
<u>THS013769</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK5 L=125 mm

Updated 202302

COMPATIBLE LATHES

CAPTO C6 COMPATIBLE BORING HOLDER ECK2 L=125 mm THS013763

SKU	D1	D2	M	L	L1	L2	L3	Weight(kg)
THS013750	21	25	85	100	140	109	45	0.6
THS013751	23	36	100	100	140	109	60	0.6
THS013752	29	-	114	100	145	114	-	0.8
THS013753	29	40	121	125	170	139	76	1.0
THS013754	37	-	128	100	155	128	-	1.0
THS013755	37	-	149	125	180	149	-	1.2
THS013756	48	-	129	100	160	129	-	1.3
THS013757	48	-	153	125	185	153	-	1.6
THS013758	60	-	144	100	175	144	-	1.5
THS013759	60	-	169	125	200	169	-	2.0
THS013760	21	25	85	100	140	109	45	1.0
THS013761	23	36	100	100	140	109	60	1.0
THS013762	29	-	114	100	145	114	-	1.2
THS013763	29	40	121	125	170	139	76	1.4
THS013764	37	-	128	100	155	128	-	1.4
THS013765	37	-	149	125	180	149	-	1.6
THS013766	48	-	129	100	160	129	-	1.7
THS013767	48	-	153	125	185	153	-	2.0
THS013768	60	-	144	100	175	144	-	1.9
THS013769	60	-	169	125	200	169	-	2.4

Updated 2021.05.12

* Compatible with Capto tool system. TOOL HOLDER SHOP Inc. products are not affiliated with or endorsed by Sandvik AB.

SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013750	CAPTO C5 COMPATIBLE BORING HOLDER ECK0 L=100 mm							
THS013751	CAPTO C5 COMPATIBLE BORING HOLDER ECK1 L=100 mm							

<u>THS013752</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK2 L=100 mm
<u>THS013753</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK2 L=125 mm
<u>THS013754</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK3 L=100 mm
<u>THS013755</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK3 L=125 mm
<u>THS013756</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK4 L=100 mm
<u>THS013757</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK4 L=125 mm
<u>THS013758</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK5 L=100 mm
<u>THS013759</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK5 L=125 mm
<u>THS013760</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK0 L=100 mm
<u>THS013761</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK1 L=100 mm
<u>THS013762</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK2 L=100 mm
<u>THS013763</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK2 L=125 mm
<u>THS013764</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK3 L=100 mm
<u>THS013765</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK3 L=125 mm
<u>THS013766</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK4 L=100 mm
<u>THS013767</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK4 L=125 mm
<u>THS013768</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK5 L=100 mm
<u>THS013769</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK5 L=125 mm

Updated 202302

COMPATIBLE LATHES

CAPTO C6 COMPATIBLE BORING HOLDER ECK3 L=125 mm THS013765

SKU	D1	D2	M	L	L1	L2	L3	Weight(kg)
THS013750	21	25	85	100	140	109	45	0.6
THS013751	23	36	100	100	140	109	60	0.6
THS013752	29	-	114	100	145	114	-	0.8
THS013753	29	40	121	125	170	139	76	1.0
THS013754	37	-	128	100	155	128	-	1.0
THS013755	37	-	149	125	180	149	-	1.2
THS013756	48	-	129	100	160	129	-	1.3
THS013757	48	-	153	125	185	153	-	1.6
THS013758	60	-	144	100	175	144	-	1.5
THS013759	60	-	169	125	200	169	-	2.0
THS013760	21	25	85	100	140	109	45	1.0
THS013761	23	36	100	100	140	109	60	1.0
THS013762	29	-	114	100	145	114	-	1.2
THS013763	29	40	121	125	170	139	76	1.4
THS013764	37	-	128	100	155	128	-	1.4
THS013765	37	-	149	125	180	149	-	1.6
THS013766	48	-	129	100	160	129	-	1.7
THS013767	48	-	153	125	185	153	-	2.0
THS013768	60	-	144	100	175	144	-	1.9
THS013769	60	-	169	125	200	169	-	2.4

Updated 2021.05.12

* Compatible with Capto tool system. TOOL HOLDER SHOP Inc. products are not affiliated with or endorsed by Sandvik AB.

SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013750	CAPTO C5 COMPATIBLE BORING HOLDER ECK0 L=100 mm							
THS013751	CAPTO C5 COMPATIBLE BORING HOLDER ECK1 L=100 mm							

<u>THS013752</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK2 L=100 mm
<u>THS013753</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK2 L=125 mm
<u>THS013754</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK3 L=100 mm
<u>THS013755</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK3 L=125 mm
<u>THS013756</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK4 L=100 mm
<u>THS013757</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK4 L=125 mm
<u>THS013758</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK5 L=100 mm
<u>THS013759</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK5 L=125 mm
<u>THS013760</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK0 L=100 mm
<u>THS013761</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK1 L=100 mm
<u>THS013762</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK2 L=100 mm
<u>THS013763</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK2 L=125 mm
<u>THS013764</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK3 L=100 mm
<u>THS013765</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK3 L=125 mm
<u>THS013766</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK4 L=100 mm
<u>THS013767</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK4 L=125 mm
<u>THS013768</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK5 L=100 mm
<u>THS013769</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK5 L=125 mm

Updated 202302

COMPATIBLE LATHES

CAPTO C6 COMPATIBLE BORING HOLDER ECK4 L=100 mm THS013766

SKU	D1	D2	M	L	L1	L2	L3	Weight(kg)
THS013750	21	25	85	100	140	109	45	0.6
THS013751	23	36	100	100	140	109	60	0.6
THS013752	29	-	114	100	145	114	-	0.8
THS013753	29	40	121	125	170	139	76	1.0
THS013754	37	-	128	100	155	128	-	1.0
THS013755	37	-	149	125	180	149	-	1.2
THS013756	48	-	129	100	160	129	-	1.3
THS013757	48	-	153	125	185	153	-	1.6
THS013758	60	-	144	100	175	144	-	1.5
THS013759	60	-	169	125	200	169	-	2.0
THS013760	21	25	85	100	140	109	45	1.0
THS013761	23	36	100	100	140	109	60	1.0
THS013762	29	-	114	100	145	114	-	1.2
THS013763	29	40	121	125	170	139	76	1.4
THS013764	37	-	128	100	155	128	-	1.4
THS013765	37	-	149	125	180	149	-	1.6
THS013766	48	-	129	100	160	129	-	1.7
THS013767	48	-	153	125	185	153	-	2.0
THS013768	60	-	144	100	175	144	-	1.9
THS013769	60	-	169	125	200	169	-	2.4

Updated 2021.05.12

* Compatible with Capto tool system. TOOL HOLDER SHOP Inc. products are not affiliated with or endorsed by Sandvik AB.

SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013750	CAPTO C5 COMPATIBLE BORING HOLDER ECK0 L=100 mm							
THS013751	CAPTO C5 COMPATIBLE BORING HOLDER ECK1 L=100 mm							

<u>THS013752</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK2 L=100 mm
<u>THS013753</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK2 L=125 mm
<u>THS013754</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK3 L=100 mm
<u>THS013755</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK3 L=125 mm
<u>THS013756</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK4 L=100 mm
<u>THS013757</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK4 L=125 mm
<u>THS013758</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK5 L=100 mm
<u>THS013759</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK5 L=125 mm
<u>THS013760</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK0 L=100 mm
<u>THS013761</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK1 L=100 mm
<u>THS013762</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK2 L=100 mm
<u>THS013763</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK2 L=125 mm
<u>THS013764</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK3 L=100 mm
<u>THS013765</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK3 L=125 mm
<u>THS013766</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK4 L=100 mm
<u>THS013767</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK4 L=125 mm
<u>THS013768</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK5 L=100 mm
<u>THS013769</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK5 L=125 mm

Updated 202302

COMPATIBLE LATHES

CAPTO C6 COMPATIBLE BORING HOLDER ECK5 L=100 mm THS013768

SKU	D1	D2	M	L	L1	L2	L3	Weight(kg)
THS013750	21	25	85	100	140	109	45	0.6
THS013751	23	36	100	100	140	109	60	0.6
THS013752	29	-	114	100	145	114	-	0.8
THS013753	29	40	121	125	170	139	76	1.0
THS013754	37	-	128	100	155	128	-	1.0
THS013755	37	-	149	125	180	149	-	1.2
THS013756	48	-	129	100	160	129	-	1.3
THS013757	48	-	153	125	185	153	-	1.6
THS013758	60	-	144	100	175	144	-	1.5
THS013759	60	-	169	125	200	169	-	2.0
THS013760	21	25	85	100	140	109	45	1.0
THS013761	23	36	100	100	140	109	60	1.0
THS013762	29	-	114	100	145	114	-	1.2
THS013763	29	40	121	125	170	139	76	1.4
THS013764	37	-	128	100	155	128	-	1.4
THS013765	37	-	149	125	180	149	-	1.6
THS013766	48	-	129	100	160	129	-	1.7
THS013767	48	-	153	125	185	153	-	2.0
THS013768	60	-	144	100	175	144	-	1.9
THS013769	60	-	169	125	200	169	-	2.4

Updated 2021.05.12

* Compatible with Capto tool system. TOOL HOLDER SHOP Inc. products are not affiliated with or endorsed by Sandvik AB.

SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013750	CAPTO C5 COMPATIBLE BORING HOLDER ECK0 L=100 mm							
THS013751	CAPTO C5 COMPATIBLE BORING HOLDER ECK1 L=100 mm							

THS013752	CAPTO C5 COMPATIBLE BORING HOLDER ECK2 L=100 mm
THS013753	CAPTO C5 COMPATIBLE BORING HOLDER ECK2 L=125 mm
THS013754	CAPTO C5 COMPATIBLE BORING HOLDER ECK3 L=100 mm
THS013755	CAPTO C5 COMPATIBLE BORING HOLDER ECK3 L=125 mm
THS013756	CAPTO C5 COMPATIBLE BORING HOLDER ECK4 L=100 mm
THS013757	CAPTO C5 COMPATIBLE BORING HOLDER ECK4 L=125 mm
THS013758	CAPTO C5 COMPATIBLE BORING HOLDER ECK5 L=100 mm
THS013759	CAPTO C5 COMPATIBLE BORING HOLDER ECK5 L=125 mm
THS013760	CAPTO C6 COMPATIBLE BORING HOLDER ECK0 L=100 mm
THS013761	CAPTO C6 COMPATIBLE BORING HOLDER ECK1 L=100 mm
THS013762	CAPTO C6 COMPATIBLE BORING HOLDER ECK2 L=100 mm
THS013763	CAPTO C6 COMPATIBLE BORING HOLDER ECK2 L=125 mm
THS013764	CAPTO C6 COMPATIBLE BORING HOLDER ECK3 L=100 mm
THS013765	CAPTO C6 COMPATIBLE BORING HOLDER ECK3 L=125 mm
THS013766	CAPTO C6 COMPATIBLE BORING HOLDER ECK4 L=100 mm
THS013767	CAPTO C6 COMPATIBLE BORING HOLDER ECK4 L=125 mm
THS013768	CAPTO C6 COMPATIBLE BORING HOLDER ECK5 L=100 mm
THS013769	CAPTO C6 COMPATIBLE BORING HOLDER ECK5 L=125 mm

Updated 202302

COMPATIBLE LATHES

CAPTO C6 COMPATIBLE BORING HOLDER ECK4 L=125 mm THS013767

SKU	D1	D2	M	L	L1	L2	L3	Weight(kg)
THS013750	21	25	85	100	140	109	45	0.6
THS013751	23	36	100	100	140	109	60	0.6
THS013752	29	-	114	100	145	114	-	0.8
THS013753	29	40	121	125	170	139	76	1.0
THS013754	37	-	128	100	155	128	-	1.0
THS013755	37	-	149	125	180	149	-	1.2
THS013756	48	-	129	100	160	129	-	1.3
THS013757	48	-	153	125	185	153	-	1.6
THS013758	60	-	144	100	175	144	-	1.5
THS013759	60	-	169	125	200	169	-	2.0
THS013760	21	25	85	100	140	109	45	1.0
THS013761	23	36	100	100	140	109	60	1.0
THS013762	29	-	114	100	145	114	-	1.2
THS013763	29	40	121	125	170	139	76	1.4
THS013764	37	-	128	100	155	128	-	1.4
THS013765	37	-	149	125	180	149	-	1.6
THS013766	48	-	129	100	160	129	-	1.7
THS013767	48	-	153	125	185	153	-	2.0
THS013768	60	-	144	100	175	144	-	1.9
THS013769	60	-	169	125	200	169	-	2.4

Updated 2021.05.12

* Compatible with Capto tool system. TOOL HOLDER SHOP Inc. products are not affiliated with or endorsed by Sandvik AB.

SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013750	CAPTO C5 COMPATIBLE BORING HOLDER ECK0 L=100 mm							
THS013751	CAPTO C5 COMPATIBLE BORING HOLDER ECK1 L=100 mm							

THS013752	CAPTO C5 COMPATIBLE BORING HOLDER ECK2 L=100 mm
THS013753	CAPTO C5 COMPATIBLE BORING HOLDER ECK2 L=125 mm
THS013754	CAPTO C5 COMPATIBLE BORING HOLDER ECK3 L=100 mm
THS013755	CAPTO C5 COMPATIBLE BORING HOLDER ECK3 L=125 mm
THS013756	CAPTO C5 COMPATIBLE BORING HOLDER ECK4 L=100 mm
THS013757	CAPTO C5 COMPATIBLE BORING HOLDER ECK4 L=125 mm
THS013758	CAPTO C5 COMPATIBLE BORING HOLDER ECK5 L=100 mm
THS013759	CAPTO C5 COMPATIBLE BORING HOLDER ECK5 L=125 mm
THS013760	CAPTO C6 COMPATIBLE BORING HOLDER ECK0 L=100 mm
THS013761	CAPTO C6 COMPATIBLE BORING HOLDER ECK1 L=100 mm
THS013762	CAPTO C6 COMPATIBLE BORING HOLDER ECK2 L=100 mm
THS013763	CAPTO C6 COMPATIBLE BORING HOLDER ECK2 L=125 mm
THS013764	CAPTO C6 COMPATIBLE BORING HOLDER ECK3 L=100 mm
THS013765	CAPTO C6 COMPATIBLE BORING HOLDER ECK3 L=125 mm
THS013766	CAPTO C6 COMPATIBLE BORING HOLDER ECK4 L=100 mm
THS013767	CAPTO C6 COMPATIBLE BORING HOLDER ECK4 L=125 mm
THS013768	CAPTO C6 COMPATIBLE BORING HOLDER ECK5 L=100 mm
THS013769	CAPTO C6 COMPATIBLE BORING HOLDER ECK5 L=125 mm

Updated 202302

COMPATIBLE LATHES

CAPTO C6 COMPATIBLE BORING HOLDER ECK5 L=125 mm THS013769

SKU	D1	D2	M	L	L1	L2	L3	Weight(kg)
THS013750	21	25	85	100	140	109	45	0.6
THS013751	23	36	100	100	140	109	60	0.6
THS013752	29	-	114	100	145	114	-	0.8
THS013753	29	40	121	125	170	139	76	1.0
THS013754	37	-	128	100	155	128	-	1.0
THS013755	37	-	149	125	180	149	-	1.2
THS013756	48	-	129	100	160	129	-	1.3
THS013757	48	-	153	125	185	153	-	1.6
THS013758	60	-	144	100	175	144	-	1.5
THS013759	60	-	169	125	200	169	-	2.0
THS013760	21	25	85	100	140	109	45	1.0
THS013761	23	36	100	100	140	109	60	1.0
THS013762	29	-	114	100	145	114	-	1.2
THS013763	29	40	121	125	170	139	76	1.4
THS013764	37	-	128	100	155	128	-	1.4
THS013765	37	-	149	125	180	149	-	1.6
THS013766	48	-	129	100	160	129	-	1.7
THS013767	48	-	153	125	185	153	-	2.0
THS013768	60	-	144	100	175	144	-	1.9
THS013769	60	-	169	125	200	169	-	2.4

Updated 2021.05.12

* Compatible with Capto tool system. TOOL HOLDER SHOP Inc. products are not affiliated with or endorsed by Sandvik AB.


SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013750	CAPTO C5 COMPATIBLE BORING HOLDER ECK0 L=100 mm							
THS013751	CAPTO C5 COMPATIBLE BORING HOLDER ECK1 L=100 mm							

THS013752	CAPTO C5 COMPATIBLE BORING HOLDER ECK2 L=100 mm
THS013753	CAPTO C5 COMPATIBLE BORING HOLDER ECK2 L=125 mm
THS013754	CAPTO C5 COMPATIBLE BORING HOLDER ECK3 L=100 mm
THS013755	CAPTO C5 COMPATIBLE BORING HOLDER ECK3 L=125 mm
THS013756	CAPTO C5 COMPATIBLE BORING HOLDER ECK4 L=100 mm
THS013757	CAPTO C5 COMPATIBLE BORING HOLDER ECK4 L=125 mm
THS013758	CAPTO C5 COMPATIBLE BORING HOLDER ECK5 L=100 mm
THS013759	CAPTO C5 COMPATIBLE BORING HOLDER ECK5 L=125 mm
THS013760	CAPTO C6 COMPATIBLE BORING HOLDER ECK0 L=100 mm
THS013761	CAPTO C6 COMPATIBLE BORING HOLDER ECK1 L=100 mm
THS013762	CAPTO C6 COMPATIBLE BORING HOLDER ECK2 L=100 mm
THS013763	CAPTO C6 COMPATIBLE BORING HOLDER ECK2 L=125 mm
THS013764	CAPTO C6 COMPATIBLE BORING HOLDER ECK3 L=100 mm
THS013765	CAPTO C6 COMPATIBLE BORING HOLDER ECK3 L=125 mm
THS013766	CAPTO C6 COMPATIBLE BORING HOLDER ECK4 L=100 mm
THS013767	CAPTO C6 COMPATIBLE BORING HOLDER ECK4 L=125 mm
THS013768	CAPTO C6 COMPATIBLE BORING HOLDER ECK5 L=100 mm
THS013769	CAPTO C6 COMPATIBLE BORING HOLDER ECK5 L=125 mm

Updated 202302

COMPATIBLE LATHES

CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1)" L= 50 mm
THS013795




SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013795	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1)" L= 50 mm							
THS013822	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1)" L=100 mm							
THS013830	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 4)" L= 50 mm							
THS013831	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 4)" L=100 mm							
THS013832	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 2)" L= 50 mm							
THS013833	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 2)" L=100 mm							
THS013834	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1)" L= 50 mm							
THS013835	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1)" L=100 mm							
THS013836	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 4)" L= 50 mm							

<u>THS013837</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 4)" L=100 mm							
<u>THS013838</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 2)" L= 60 mm							
<u>THS013839</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 2)" L=120 mm							

Updated 202302

COMPATIBLE LATHES

CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1)" L=100 mm
THS013822




SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013795	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1)" L= 50 mm							
THS013822	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1)" L=100 mm							
THS013830	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 4)" L= 50 mm							
THS013831	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 4)" L=100 mm							
THS013832	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 2)" L= 50 mm							
THS013833	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 2)" L=100 mm							
THS013834	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1)" L= 50 mm							
THS013835	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1)" L=100 mm							
THS013836	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 4)" L= 50 mm							

<u>THS013837</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 4)" L=100 mm							
<u>THS013838</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 2)" L= 60 mm							
<u>THS013839</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 2)" L=120 mm							

Updated 202302

COMPATIBLE LATHES

CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 2)" L=100 mm
THS013833




SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013795	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1)" L= 50 mm							
THS013822	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1)" L=100 mm							
THS013830	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 4)" L= 50 mm							
THS013831	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 4)" L=100 mm							
THS013832	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 2)" L= 50 mm							
THS013833	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 2)" L=100 mm							
THS013834	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1)" L= 50 mm							
THS013835	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1)" L=100 mm							
THS013836	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 4)" L= 50 mm							

<u>THS013837</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 4)" L=100 mm							
<u>THS013838</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 2)" L= 60 mm							
<u>THS013839</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 2)" L=120 mm							

Updated 202302

COMPATIBLE LATHES

CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 4)" L= 50 mm
THS013830




SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013795	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1)" L= 50 mm							
THS013822	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1)" L=100 mm							
THS013830	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 4)" L= 50 mm							
THS013831	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 4)" L=100 mm							
THS013832	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 2)" L= 50 mm							
THS013833	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 2)" L=100 mm							
THS013834	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1)" L= 50 mm							
THS013835	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1)" L=100 mm							
THS013836	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 4)" L= 50 mm							

<u>THS013837</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 4)" L=100 mm							
<u>THS013838</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 2)" L= 60 mm							
<u>THS013839</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 2)" L=120 mm							

Updated 202302

COMPATIBLE LATHES

CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 4)" L=100 mm
THS013831




SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013795	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1)" L= 50 mm							
THS013822	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1)" L=100 mm							
THS013830	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 4)" L= 50 mm							
THS013831	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 4)" L=100 mm							
THS013832	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 2)" L= 50 mm							
THS013833	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 2)" L=100 mm							
THS013834	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1)" L= 50 mm							
THS013835	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1)" L=100 mm							
THS013836	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 4)" L= 50 mm							

<u>THS013837</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 4)" L=100 mm							
<u>THS013838</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 2)" L= 60 mm							
<u>THS013839</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 2)" L=120 mm							

Updated 202302

COMPATIBLE LATHES

CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 2)" L= 50 mm
THS013832




SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013795	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1)" L= 50 mm							
THS013822	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1)" L=100 mm							
THS013830	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 4)" L= 50 mm							
THS013831	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 4)" L=100 mm							
THS013832	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 2)" L= 50 mm							
THS013833	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 2)" L=100 mm							
THS013834	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1)" L= 50 mm							
THS013835	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1)" L=100 mm							
THS013836	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 4)" L= 50 mm							

<u>THS013837</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 4)" L=100 mm							
<u>THS013838</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 2)" L= 60 mm							
<u>THS013839</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 2)" L=120 mm							

Updated 202302

COMPATIBLE LATHES

CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 4)" L= 50 mm
THS013836




SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013795	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1)" L= 50 mm							
THS013822	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1)" L=100 mm							
THS013830	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 4)" L= 50 mm							
THS013831	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 4)" L=100 mm							
THS013832	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 2)" L= 50 mm							
THS013833	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 2)" L=100 mm							
THS013834	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1)" L= 50 mm							
THS013835	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1)" L=100 mm							
THS013836	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 4)" L= 50 mm							

<u>THS013837</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 4)" L=100 mm							
<u>THS013838</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 2)" L= 60 mm							
<u>THS013839</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 2)" L=120 mm							

Updated 202302

COMPATIBLE LATHES

CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 2)" L=120 mm
THS013839




SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013795	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1)" L= 50 mm							
THS013822	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1)" L=100 mm							
THS013830	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 4)" L= 50 mm							
THS013831	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 4)" L=100 mm							
THS013832	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 2)" L= 50 mm							
THS013833	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 2)" L=100 mm							
THS013834	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1)" L= 50 mm							
THS013835	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1)" L=100 mm							
THS013836	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 4)" L= 50 mm							

THS013837	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 4)" L=100 mm							
THS013838	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 2)" L= 60 mm							
THS013839	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 2)" L=120 mm							

Updated 202302

COMPATIBLE LATHES

CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 2)" L= 60 mm
THS013838




SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013795	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1)" L= 50 mm							
THS013822	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1)" L=100 mm							
THS013830	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 4)" L= 50 mm							
THS013831	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 4)" L=100 mm							
THS013832	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 2)" L= 50 mm							
THS013833	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 2)" L=100 mm							
THS013834	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1)" L= 50 mm							
THS013835	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1)" L=100 mm							
THS013836	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 4)" L= 50 mm							

<u>THS013837</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 4)" L=100 mm							
<u>THS013838</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 2)" L= 60 mm							
<u>THS013839</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 2)" L=120 mm							

Updated 202302

COMPATIBLE LATHES

CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 4)" L=100 mm
THS013837



SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013795	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1)" L= 50 mm							
THS013822	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1)" L=100 mm							
THS013830	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 4)" L= 50 mm							
THS013831	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 4)" L=100 mm							
THS013832	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 2)" L= 50 mm							
THS013833	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 2)" L=100 mm							
THS013834	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1)" L= 50 mm							
THS013835	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1)" L=100 mm							
THS013836	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 4)" L= 50 mm							

THS013837	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 4)" L=100 mm							
THS013838	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 2)" L= 60 mm							
THS013839	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 2)" L=120 mm							

Updated 202302

COMPATIBLE LATHES

CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=27 mm L= 60 mm
THS013841



SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013796	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=22 mm L= 50 mm							
THS013840	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=22 mm L=120 mm							
THS013841	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=27 mm L= 60 mm							
THS013842	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=27 mm L=120 mm							
THS013843	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=32 mm L= 60 mm							
THS013844	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=32 mm L=120 mm							
THS013845	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=40 mm L= 60 mm							
THS013846	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=40 mm L=120 mm							
THS013847	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=22 mm L= 50 mm							

THS013848	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=22 mm L=100 mm							
	<u>CAPTO C6</u>	STRIGHT	22 mm	100 mm	CW-CW STATIC	STRIGHT	INTERNAL	STRIGHT
	<u>COMPATIBLE</u> <u>TAPER</u>						COOLANT THROUGH	
THS013849	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=27 mm L= 50 mm							
THS013850	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=27 mm L=100 mm							
THS013851	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=32 mm L= 60 mm							
THS013852	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=32 mm L=120 mm							
THS013853	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=40 mm L= 60 mm							
THS013854	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=40 mm L=120 mm							

Updated 202302

COMPATIBLE LATHES

CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=27 mm L=120 mm
THS013842



SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013796	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=22 mm L= 50 mm							
THS013840	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=22 mm L=120 mm							
THS013841	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=27 mm L= 60 mm							
THS013842	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=27 mm L=120 mm							
THS013843	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=32 mm L= 60 mm							
THS013844	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=32 mm L=120 mm							
THS013845	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=40 mm L= 60 mm							
THS013846	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=40 mm L=120 mm							
THS013847	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=22 mm L= 50 mm							

<u>THS013848</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=22 mm L=100 mm							
	<u>CAPTO C6</u>	STRIGHT	22 mm	100 mm	CW-CW STATIC	STRIGHT	INTERNAL	STRIGHT
	<u>COMPATIBLE</u> <u>TAPER</u>						COOLANT THROUGH	
<u>THS013849</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=27 mm L= 50 mm							
<u>THS013850</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=27 mm L=100 mm							
<u>THS013851</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=32 mm L= 60 mm							
<u>THS013852</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=32 mm L=120 mm							
<u>THS013853</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=40 mm L= 60 mm							
<u>THS013854</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=40 mm L=120 mm							

Updated 202302

COMPATIBLE LATHES

CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=22 mm L=120 mm
THS013840



SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013796	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=22 mm L= 50 mm							
THS013840	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=22 mm L=120 mm							
THS013841	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=27 mm L= 60 mm							
THS013842	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=27 mm L=120 mm							
THS013843	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=32 mm L= 60 mm							
THS013844	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=32 mm L=120 mm							
THS013845	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=40 mm L= 60 mm							
THS013846	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=40 mm L=120 mm							
THS013847	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=22 mm L= 50 mm							

THS013848	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=22 mm L=100 mm							
	<u>CAPTO C6</u>	STRIGHT	22 mm	100 mm	CW-CW STATIC	STRIGHT	INTERNAL	STRIGHT
	<u>COMPATIBLE</u> <u>TAPER</u>						COOLANT THROUGH	
THS013849	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=27 mm L= 50 mm							
THS013850	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=27 mm L=100 mm							
THS013851	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=32 mm L= 60 mm							
THS013852	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=32 mm L=120 mm							
THS013853	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=40 mm L= 60 mm							
THS013854	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=40 mm L=120 mm							

Updated 202302

COMPATIBLE LATHES

CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=22 mm L= 50 mm
THS013796



SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013796	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=22 mm L= 50 mm							
THS013840	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=22 mm L=120 mm							
THS013841	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=27 mm L= 60 mm							
THS013842	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=27 mm L=120 mm							
THS013843	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=32 mm L= 60 mm							
THS013844	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=32 mm L=120 mm							
THS013845	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=40 mm L= 60 mm							
THS013846	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=40 mm L=120 mm							
THS013847	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=22 mm L= 50 mm							

THS013848	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=22 mm L=100 mm							
	<u>CAPTO C6</u>	STRIGHT	22 mm	100 mm	CW-CW STATIC	STRIGHT	INTERNAL	STRIGHT
	<u>COMPATIBLE</u> <u>TAPER</u>						COOLANT THROUGH	
THS013849	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=27 mm L= 50 mm							
THS013850	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=27 mm L=100 mm							
THS013851	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=32 mm L= 60 mm							
THS013852	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=32 mm L=120 mm							
THS013853	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=40 mm L= 60 mm							
THS013854	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=40 mm L=120 mm							

Updated 202302

COMPATIBLE LATHES

CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=32 mm L= 60 mm
THS013843



SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013796	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=22 mm L= 50 mm							
THS013840	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=22 mm L=120 mm							
THS013841	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=27 mm L= 60 mm							
THS013842	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=27 mm L=120 mm							
THS013843	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=32 mm L= 60 mm							
THS013844	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=32 mm L=120 mm							
THS013845	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=40 mm L= 60 mm							
THS013846	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=40 mm L=120 mm							
THS013847	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=22 mm L= 50 mm							

THS013848	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=22 mm L=100 mm							
	<u>CAPTO C6</u>	STRIGHT	22 mm	100 mm	CW-CW STATIC	STRIGHT	INTERNAL	STRIGHT
	<u>COMPATIBLE</u> <u>TAPER</u>						COOLANT THROUGH	
THS013849	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=27 mm L= 50 mm							
THS013850	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=27 mm L=100 mm							
THS013851	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=32 mm L= 60 mm							
THS013852	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=32 mm L=120 mm							
THS013853	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=40 mm L= 60 mm							
THS013854	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=40 mm L=120 mm							

Updated 202302

COMPATIBLE LATHES

CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=40 mm L= 60 mm
THS013845



SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013796	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=22 mm L= 50 mm							
THS013840	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=22 mm L=120 mm							
THS013841	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=27 mm L= 60 mm							
THS013842	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=27 mm L=120 mm							
THS013843	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=32 mm L= 60 mm							
THS013844	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=32 mm L=120 mm							
THS013845	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=40 mm L= 60 mm							
THS013846	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=40 mm L=120 mm							
THS013847	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=22 mm L= 50 mm							

THS013848	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=22 mm L=100 mm							
	<u>CAPTO C6</u>	STRIGHT	22 mm	100 mm	CW-CW STATIC	STRIGHT	INTERNAL	STRIGHT
	<u>COMPATIBLE</u> <u>TAPER</u>						COOLANT THROUGH	
THS013849	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=27 mm L= 50 mm							
THS013850	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=27 mm L=100 mm							
THS013851	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=32 mm L= 60 mm							
THS013852	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=32 mm L=120 mm							
THS013853	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=40 mm L= 60 mm							
THS013854	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=40 mm L=120 mm							

Updated 202302

COMPATIBLE LATHES

**CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=32 mm L=120 mm
THS013844**



SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013796	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=22 mm L= 50 mm							
THS013840	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=22 mm L=120 mm							
THS013841	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=27 mm L= 60 mm							
THS013842	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=27 mm L=120 mm							
THS013843	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=32 mm L= 60 mm							
THS013844	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=32 mm L=120 mm							
THS013845	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=40 mm L= 60 mm							
THS013846	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=40 mm L=120 mm							
THS013847	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=22 mm L= 50 mm							

THS013848	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=22 mm L=100 mm							
	<u>CAPTO C6</u>	STRIGHT	22 mm	100 mm	CW-CW STATIC	STRIGHT	INTERNAL	STRIGHT
	<u>COMPATIBLE</u> <u>TAPER</u>						COOLANT THROUGH	
THS013849	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=27 mm L= 50 mm							
THS013850	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=27 mm L=100 mm							
THS013851	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=32 mm L= 60 mm							
THS013852	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=32 mm L=120 mm							
THS013853	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=40 mm L= 60 mm							
THS013854	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=40 mm L=120 mm							

Updated 202302

COMPATIBLE LATHES

**CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=40 mm L=120 mm
THS013846**



SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013796	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=22 mm L= 50 mm							
THS013840	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=22 mm L=120 mm							
THS013841	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=27 mm L= 60 mm							
THS013842	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=27 mm L=120 mm							
THS013843	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=32 mm L= 60 mm							
THS013844	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=32 mm L=120 mm							
THS013845	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=40 mm L= 60 mm							
THS013846	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=40 mm L=120 mm							
THS013847	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=22 mm L= 50 mm							

THS013848	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=22 mm L=100 mm							
	<u>CAPTO C6</u>	STRIGHT	22 mm	100 mm	CW-CW STATIC	STRIGHT	INTERNAL	STRIGHT
	<u>COMPATIBLE</u> <u>TAPER</u>						COOLANT THROUGH	
THS013849	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=27 mm L= 50 mm							
THS013850	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=27 mm L=100 mm							
THS013851	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=32 mm L= 60 mm							
THS013852	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=32 mm L=120 mm							
THS013853	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=40 mm L= 60 mm							
THS013854	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=40 mm L=120 mm							

Updated 202302

COMPATIBLE LATHES

CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=22 mm L=100 mm
THS013848



SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013796	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=22 mm L= 50 mm							
THS013840	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=22 mm L=120 mm							
THS013841	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=27 mm L= 60 mm							
THS013842	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=27 mm L=120 mm							
THS013843	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=32 mm L= 60 mm							
THS013844	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=32 mm L=120 mm							
THS013845	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=40 mm L= 60 mm							
THS013846	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=40 mm L=120 mm							
THS013847	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=22 mm L= 50 mm							

THS013848	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=22 mm L=100 mm							
	CAPTO C6	STRIGHT	22 mm	100 mm	CW-CW STATIC	STRIGHT	INTERNAL	STRIGHT
	COMPATIBLE TAPER						COOLANT THROUGH	
THS013849	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=27 mm L= 50 mm							
THS013850	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=27 mm L=100 mm							
THS013851	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=32 mm L= 60 mm							
THS013852	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=32 mm L=120 mm							
THS013853	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=40 mm L= 60 mm							
THS013854	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=40 mm L=120 mm							

Updated 202302

COMPATIBLE LATHES

CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=22 mm L= 50 mm
THS013847



SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013796	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=22 mm L= 50 mm							
THS013840	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=22 mm L=120 mm							
THS013841	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=27 mm L= 60 mm							
THS013842	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=27 mm L=120 mm							
THS013843	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=32 mm L= 60 mm							
THS013844	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=32 mm L=120 mm							
THS013845	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=40 mm L= 60 mm							
THS013846	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=40 mm L=120 mm							
THS013847	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=22 mm L= 50 mm							

THS013848	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=22 mm L=100 mm							
	<u>CAPTO C6</u>	STRIGHT	22 mm	100 mm	CW-CW STATIC	STRIGHT	INTERNAL	STRIGHT
	<u>COMPATIBLE</u> <u>TAPER</u>						COOLANT THROUGH	
THS013849	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=27 mm L= 50 mm							
THS013850	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=27 mm L=100 mm							
THS013851	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=32 mm L= 60 mm							
THS013852	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=32 mm L=120 mm							
THS013853	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=40 mm L= 60 mm							
THS013854	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=40 mm L=120 mm							

Updated 202302

COMPATIBLE LATHES

CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=27 mm L=100 mm
THS013850



SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013796	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=22 mm L= 50 mm							
THS013840	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=22 mm L=120 mm							
THS013841	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=27 mm L= 60 mm							
THS013842	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=27 mm L=120 mm							
THS013843	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=32 mm L= 60 mm							
THS013844	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=32 mm L=120 mm							
THS013845	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=40 mm L= 60 mm							
THS013846	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=40 mm L=120 mm							
THS013847	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=22 mm L= 50 mm							

<u>THS013848</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=22 mm L=100 mm							
	<u>CAPTO C6</u>	STRIGHT	22 mm	100 mm	CW-CW STATIC	STRIGHT	INTERNAL	STRIGHT
	<u>COMPATIBLE</u> <u>TAPER</u>						COOLANT THROUGH	
<u>THS013849</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=27 mm L= 50 mm							
<u>THS013850</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=27 mm L=100 mm							
<u>THS013851</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=32 mm L= 60 mm							
<u>THS013852</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=32 mm L=120 mm							
<u>THS013853</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=40 mm L= 60 mm							
<u>THS013854</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=40 mm L=120 mm							

Updated 202302

COMPATIBLE LATHES

CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=27 mm L= 50 mm
THS013849



SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013796	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=22 mm L= 50 mm							
THS013840	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=22 mm L=120 mm							
THS013841	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=27 mm L= 60 mm							
THS013842	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=27 mm L=120 mm							
THS013843	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=32 mm L= 60 mm							
THS013844	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=32 mm L=120 mm							
THS013845	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=40 mm L= 60 mm							
THS013846	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=40 mm L=120 mm							
THS013847	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=22 mm L= 50 mm							

<u>THS013848</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=22 mm L=100 mm							
	<u>CAPTO C6</u>	STRIGHT	22 mm	100 mm	CW-CW STATIC	STRIGHT	INTERNAL	STRIGHT
	<u>COMPATIBLE</u> <u>TAPER</u>						COOLANT THROUGH	
<u>THS013849</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=27 mm L= 50 mm							
<u>THS013850</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=27 mm L=100 mm							
<u>THS013851</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=32 mm L= 60 mm							
<u>THS013852</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=32 mm L=120 mm							
<u>THS013853</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=40 mm L= 60 mm							
<u>THS013854</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=40 mm L=120 mm							

Updated 202302

COMPATIBLE LATHES

CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=32 mm L= 60 mm
THS013851



SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013796	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=22 mm L= 50 mm							
THS013840	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=22 mm L=120 mm							
THS013841	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=27 mm L= 60 mm							
THS013842	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=27 mm L=120 mm							
THS013843	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=32 mm L= 60 mm							
THS013844	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=32 mm L=120 mm							
THS013845	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=40 mm L= 60 mm							
THS013846	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=40 mm L=120 mm							
THS013847	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=22 mm L= 50 mm							

<u>THS013848</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=22 mm L=100 mm							
	<u>CAPTO C6</u>	STRIGHT	22 mm	100 mm	CW-CW STATIC	STRIGHT	INTERNAL	STRIGHT
	<u>COMPATIBLE</u> <u>TAPER</u>						COOLANT THROUGH	
<u>THS013849</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=27 mm L= 50 mm							
<u>THS013850</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=27 mm L=100 mm							
<u>THS013851</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=32 mm L= 60 mm							
<u>THS013852</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=32 mm L=120 mm							
<u>THS013853</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=40 mm L= 60 mm							
<u>THS013854</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=40 mm L=120 mm							

Updated 202302

COMPATIBLE LATHES

CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=32 mm L=120 mm
THS013852



SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013796	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=22 mm L= 50 mm							
THS013840	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=22 mm L=120 mm							
THS013841	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=27 mm L= 60 mm							
THS013842	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=27 mm L=120 mm							
THS013843	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=32 mm L= 60 mm							
THS013844	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=32 mm L=120 mm							
THS013845	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=40 mm L= 60 mm							
THS013846	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=40 mm L=120 mm							
THS013847	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=22 mm L= 50 mm							

THS013848	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=22 mm L=100 mm							
	<u>CAPTO C6</u>	STRIGHT	22 mm	100 mm	CW-CW STATIC	STRIGHT	INTERNAL	STRIGHT
	<u>COMPATIBLE</u> <u>TAPER</u>						COOLANT THROUGH	
THS013849	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=27 mm L= 50 mm							
THS013850	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=27 mm L=100 mm							
THS013851	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=32 mm L= 60 mm							
THS013852	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=32 mm L=120 mm							
THS013853	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=40 mm L= 60 mm							
THS013854	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=40 mm L=120 mm							

Updated 202302

COMPATIBLE LATHES

CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=40 mm L= 60 mm
THS013853



SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013796	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=22 mm L= 50 mm							
THS013840	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=22 mm L=120 mm							
THS013841	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=27 mm L= 60 mm							
THS013842	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=27 mm L=120 mm							
THS013843	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=32 mm L= 60 mm							
THS013844	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=32 mm L=120 mm							
THS013845	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=40 mm L= 60 mm							
THS013846	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=40 mm L=120 mm							
THS013847	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=22 mm L= 50 mm							

THS013848	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=22 mm L=100 mm							
	<u>CAPTO C6</u>	STRIGHT	22 mm	100 mm	CW-CW STATIC	STRIGHT	INTERNAL	STRIGHT
	<u>COMPATIBLE</u> <u>TAPER</u>						COOLANT THROUGH	
THS013849	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=27 mm L= 50 mm							
THS013850	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=27 mm L=100 mm							
THS013851	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=32 mm L= 60 mm							
THS013852	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=32 mm L=120 mm							
THS013853	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=40 mm L= 60 mm							
THS013854	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=40 mm L=120 mm							

Updated 202302

COMPATIBLE LATHES

CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=40 mm L=120 mm
THS013854




SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013796	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=22 mm L= 50 mm							
THS013840	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=22 mm L=120 mm							
THS013841	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=27 mm L= 60 mm							
THS013842	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=27 mm L=120 mm							
THS013843	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=32 mm L= 60 mm							
THS013844	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=32 mm L=120 mm							
THS013845	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=40 mm L= 60 mm							
THS013846	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=40 mm L=120 mm							
THS013847	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=22 mm L= 50 mm							

<u>THS013848</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=22 mm L=100 mm							
	<u>CAPTO C6</u>	STRIGHT	22 mm	100 mm	CW-CW STATIC	STRIGHT	INTERNAL	STRIGHT
	<u>COMPATIBLE</u>						COOLANT	
	<u>TAPER</u>						THROUGH	
<u>THS013849</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=27 mm L= 50 mm							
<u>THS013850</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=27 mm L=100 mm							
<u>THS013851</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=32 mm L= 60 mm							
<u>THS013852</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=32 mm L=120 mm							
<u>THS013853</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=40 mm L= 60 mm							
<u>THS013854</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=40 mm L=120 mm							

Updated 202302

COMPATIBLE LATHES

CAPTO C4 COMPATIBLE TURNING HOLDER SRSCR L=100
THS013770



SKU	D	L	C	Weight(kg)	Insert Type
THS013770	40	50	27	0.33	RCMT0602M0
THS013771	50	60	35	0.7	RCMT0602M0
THS013772	40	50	27	0.33	RCMT0803M0
C4-SRSCR/L-35060-08	50	60	35	0.7	RCMT0803M0
THS013774	32	40	22	0.22	RCMT10T3M0
THS013775	40	50	27	0.33	RCMT10T3M0
THS013776	50	60	35	0.7	RCMT10T3M0
THS013777	63	65	45	1.1	RCMT10T3M0
THS013778	40	50	27	0.4	RCMT1204M0
THS013779	50	60	35	0.7	RCMT1204M0
THS013780	63	65	45	1.1	RCMT1204M0
THS013781	50	60	35	0.7	RCMT1606M0
THS013782	63	65	45	1.1	RCMT1606M0
THS013783	50	60	35	0.86	RCMT2006M0
THS013784	63	65	45	1.35	RCMT2006M0

* Compatible with Capto tool system. TOOL HOLDER SHOP Inc. products are not affiliated with or endorsed by Sandvik AB.


Updated 2021.05.12

SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013770	CAPTO C4 COMPATIBLE TURNING HOLDER SRSCR L=100							
THS013772	CAPTO C4 COMPATIBLE TURNING HOLDER SRSCRL							
THS013773	CAPTO C5 COMPATIBLE TURNING HOLDER SRSCRL							
THS013774	CAPTO C3 COMPATIBLE TURNING HOLDER SRSCR RIGHT HAND 10 mm							
THS013775	CAPTO C4 COMPATIBLE TURNING HOLDER SRSCRL							
THS013776	CAPTO C5 COMPATIBLE TURNING HOLDER SRSCRL							
THS013777	CAPTO C6 COMPATIBLE TURNING HOLDER SRSCRL							
THS013778	CAPTO C4 COMPATIBLE TURNING HOLDER SRSCRL							
THS013779	CAPTO C5 COMPATIBLE TURNING HOLDER SRSCRL							
THS013780	CAPTO C6 COMPATIBLE TURNING HOLDER SRSCRL							
THS013781	CAPTO C5 COMPATIBLE TURNING HOLDER SRSCRL							
THS013782	CAPTO C6 COMPATIBLE TURNING HOLDER SRSCRL							
THS013783	CAPTO C5 COMPATIBLE TURNING HOLDER SRSCRL							
THS013784	CAPTO C6 COMPATIBLE TURNING HOLDER SRSCRL							
THS016933	CAPTO C3 COMPATIBLE TURNING HOLDER SRSCR LEFT HAND 10 mm							

Updated 202302

COMPATIBLE LATHES

CAPTO C4 COMPATIBLE TURNING HOLDER SRSCRL
THS013772



SKU	D	L	C	Weight(kg)	Insert Type
THS013770	40	50	27	0.33	RCMT0602M0
THS013771	50	60	35	0.7	RCMT0602M0
THS013772	40	50	27	0.33	RCMT0803M0
C4-SRSCR/L-35060-08	50	60	35	0.7	RCMT0803M0
THS013774	32	40	22	0.22	RCMT10T3M0
THS013775	40	50	27	0.33	RCMT10T3M0
THS013776	50	60	35	0.7	RCMT10T3M0
THS013777	63	65	45	1.1	RCMT10T3M0
THS013778	40	50	27	0.4	RCMT1204M0
THS013779	50	60	35	0.7	RCMT1204M0
THS013780	63	65	45	1.1	RCMT1204M0
THS013781	50	60	35	0.7	RCMT1606M0
THS013782	63	65	45	1.1	RCMT1606M0
THS013783	50	60	35	0.86	RCMT2006M0
THS013784	63	65	45	1.35	RCMT2006M0

* Compatible with Capto tool system. TOOL HOLDER SHOP Inc. products are not affiliated with or endorsed by Sandvik AB.


Updated 2021.05.12

SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013770	CAPTO C4 COMPATIBLE TURNING HOLDER SRSCR L=100							
THS013772	CAPTO C4 COMPATIBLE TURNING HOLDER SRSCRL							
THS013773	CAPTO C5 COMPATIBLE TURNING HOLDER SRSCRL							
THS013774	CAPTO C3 COMPATIBLE TURNING HOLDER SRSCR RIGHT HAND 10 mm							
THS013775	CAPTO C4 COMPATIBLE TURNING HOLDER SRSCRL							
THS013776	CAPTO C5 COMPATIBLE TURNING HOLDER SRSCRL							
THS013777	CAPTO C6 COMPATIBLE TURNING HOLDER SRSCRL							
THS013778	CAPTO C4 COMPATIBLE TURNING HOLDER SRSCRL							
THS013779	CAPTO C5 COMPATIBLE TURNING HOLDER SRSCRL							
THS013780	CAPTO C6 COMPATIBLE TURNING HOLDER SRSCRL							
THS013781	CAPTO C5 COMPATIBLE TURNING HOLDER SRSCRL							
THS013782	CAPTO C6 COMPATIBLE TURNING HOLDER SRSCRL							
THS013783	CAPTO C5 COMPATIBLE TURNING HOLDER SRSCRL							
THS013784	CAPTO C6 COMPATIBLE TURNING HOLDER SRSCRL							
THS016933	CAPTO C3 COMPATIBLE TURNING HOLDER SRSCR LEFT HAND 10 mm							

Updated 202302

COMPATIBLE LATHES

CAPTO C5 COMPATIBLE TURNING HOLDER SRSCRL
THS013773



SKU	D	L	C	Weight(kg)	Insert Type
THS013770	40	50	27	0.33	RCMT0602M0
THS013771	50	60	35	0.7	RCMT0602M0
THS013772	40	50	27	0.33	RCMT0803M0
C4-SRSCR/L-35060-08	50	60	35	0.7	RCMT0803M0
THS013774	32	40	22	0.22	RCMT10T3M0
THS013775	40	50	27	0.33	RCMT10T3M0
THS013776	50	60	35	0.7	RCMT10T3M0
THS013777	63	65	45	1.1	RCMT10T3M0
THS013778	40	50	27	0.4	RCMT1204M0
THS013779	50	60	35	0.7	RCMT1204M0
THS013780	63	65	45	1.1	RCMT1204M0
THS013781	50	60	35	0.7	RCMT1606M0
THS013782	63	65	45	1.1	RCMT1606M0
THS013783	50	60	35	0.86	RCMT2006M0
THS013784	63	65	45	1.35	RCMT2006M0

* Compatible with Capto tool system. TOOL HOLDER SHOP Inc. products are not affiliated with or endorsed by Sandvik AB.


Updated 2021.05.12

SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013770	CAPTO C4 COMPATIBLE TURNING HOLDER SRSCR L=100							
THS013772	CAPTO C4 COMPATIBLE TURNING HOLDER SRSCRL							
THS013773	CAPTO C5 COMPATIBLE TURNING HOLDER SRSCRL							
THS013774	CAPTO C3 COMPATIBLE TURNING HOLDER SRSCR RIGHT HAND 10 mm							
THS013775	CAPTO C4 COMPATIBLE TURNING HOLDER SRSCRL							
THS013776	CAPTO C5 COMPATIBLE TURNING HOLDER SRSCRL							
THS013777	CAPTO C6 COMPATIBLE TURNING HOLDER SRSCRL							
THS013778	CAPTO C4 COMPATIBLE TURNING HOLDER SRSCRL							
THS013779	CAPTO C5 COMPATIBLE TURNING HOLDER SRSCRL							
THS013780	CAPTO C6 COMPATIBLE TURNING HOLDER SRSCRL							
THS013781	CAPTO C5 COMPATIBLE TURNING HOLDER SRSCRL							
THS013782	CAPTO C6 COMPATIBLE TURNING HOLDER SRSCRL							
THS013783	CAPTO C5 COMPATIBLE TURNING HOLDER SRSCRL							
THS013784	CAPTO C6 COMPATIBLE TURNING HOLDER SRSCRL							
THS016933	CAPTO C3 COMPATIBLE TURNING HOLDER SRSCR LEFT HAND 10 mm							

Updated 202302

COMPATIBLE LATHES

CAPTO C3 COMPATIBLE TURNING HOLDER SRSCR RIGHT HAND 10 mm
THS013774



SKU	D	L	C	Weight(kg)	Insert Type
THS013770	40	50	27	0.33	RCMT0602M0
THS013771	50	60	35	0.7	RCMT0602M0
THS013772	40	50	27	0.33	RCMT0803M0
C4-SRSCR/L-35060-08	50	60	35	0.7	RCMT0803M0
THS013774	32	40	22	0.22	RCMT10T3M0
THS013775	40	50	27	0.33	RCMT10T3M0
THS013776	50	60	35	0.7	RCMT10T3M0
THS013777	63	65	45	1.1	RCMT10T3M0
THS013778	40	50	27	0.4	RCMT1204M0
THS013779	50	60	35	0.7	RCMT1204M0
THS013780	63	65	45	1.1	RCMT1204M0
THS013781	50	60	35	0.7	RCMT1606M0
THS013782	63	65	45	1.1	RCMT1606M0
THS013783	50	60	35	0.86	RCMT2006M0
THS013784	63	65	45	1.35	RCMT2006M0

* Compatible with Capto tool system. TOOL HOLDER SHOP Inc. products are not affiliated with or endorsed by Sandvik AB.


Updated 2021.05.12

SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013770	CAPTO C4 COMPATIBLE TURNING HOLDER SRSCR L=100							
THS013772	CAPTO C4 COMPATIBLE TURNING HOLDER SRSCRL							
THS013773	CAPTO C5 COMPATIBLE TURNING HOLDER SRSCRL							
THS013774	CAPTO C3 COMPATIBLE TURNING HOLDER SRSCR RIGHT HAND 10 mm							
THS013775	CAPTO C4 COMPATIBLE TURNING HOLDER SRSCRL							
THS013776	CAPTO C5 COMPATIBLE TURNING HOLDER SRSCRL							
THS013777	CAPTO C6 COMPATIBLE TURNING HOLDER SRSCRL							
THS013778	CAPTO C4 COMPATIBLE TURNING HOLDER SRSCRL							
THS013779	CAPTO C5 COMPATIBLE TURNING HOLDER SRSCRL							
THS013780	CAPTO C6 COMPATIBLE TURNING HOLDER SRSCRL							
THS013781	CAPTO C5 COMPATIBLE TURNING HOLDER SRSCRL							
THS013782	CAPTO C6 COMPATIBLE TURNING HOLDER SRSCRL							
THS013783	CAPTO C5 COMPATIBLE TURNING HOLDER SRSCRL							
THS013784	CAPTO C6 COMPATIBLE TURNING HOLDER SRSCRL							
THS016933	CAPTO C3 COMPATIBLE TURNING HOLDER SRSCR LEFT HAND 10 mm							

Updated 202302

COMPATIBLE LATHES

CAPTO C3 COMPATIBLE TURNING HOLDER SRSCR LEFT HAND 10 mm
THS016933



SKU	D	L	C	Weight(kg)	Insert Type
THS013770	40	50	27	0.33	RCMT0602M0
THS013771	50	60	35	0.7	RCMT0602M0
THS013772	40	50	27	0.33	RCMT0803M0
C4-SRSCR/L-35060-08	50	60	35	0.7	RCMT0803M0
THS013774	32	40	22	0.22	RCMT10T3M0
THS013775	40	50	27	0.33	RCMT10T3M0
THS013776	50	60	35	0.7	RCMT10T3M0
THS013777	63	65	45	1.1	RCMT10T3M0
THS013778	40	50	27	0.4	RCMT1204M0
THS013779	50	60	35	0.7	RCMT1204M0
THS013780	63	65	45	1.1	RCMT1204M0
THS013781	50	60	35	0.7	RCMT1606M0
THS013782	63	65	45	1.1	RCMT1606M0
THS013783	50	60	35	0.86	RCMT2006M0
THS013784	63	65	45	1.35	RCMT2006M0

* Compatible with Capto tool system. TOOL HOLDER SHOP Inc. products are not affiliated with or endorsed by Sandvik AB.


Updated 2021.05.12

SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013770	CAPTO C4 COMPATIBLE TURNING HOLDER SRSCR L=100							
THS013772	CAPTO C4 COMPATIBLE TURNING HOLDER SRSCRL							
THS013773	CAPTO C5 COMPATIBLE TURNING HOLDER SRSCRL							
THS013774	CAPTO C3 COMPATIBLE TURNING HOLDER SRSCR RIGHT HAND 10 mm							
THS013775	CAPTO C4 COMPATIBLE TURNING HOLDER SRSCRL							
THS013776	CAPTO C5 COMPATIBLE TURNING HOLDER SRSCRL							
THS013777	CAPTO C6 COMPATIBLE TURNING HOLDER SRSCRL							
THS013778	CAPTO C4 COMPATIBLE TURNING HOLDER SRSCRL							
THS013779	CAPTO C5 COMPATIBLE TURNING HOLDER SRSCRL							
THS013780	CAPTO C6 COMPATIBLE TURNING HOLDER SRSCRL							
THS013781	CAPTO C5 COMPATIBLE TURNING HOLDER SRSCRL							
THS013782	CAPTO C6 COMPATIBLE TURNING HOLDER SRSCRL							
THS013783	CAPTO C5 COMPATIBLE TURNING HOLDER SRSCRL							
THS013784	CAPTO C6 COMPATIBLE TURNING HOLDER SRSCRL							
THS016933	CAPTO C3 COMPATIBLE TURNING HOLDER SRSCR LEFT HAND 10 mm							

Updated 202302

COMPATIBLE LATHES

CAPTO C6 COMPATIBLE TURNING HOLDER SRSCRL
THS013777



SKU	D	L	C	Weight(kg)	Insert Type
THS013770	40	50	27	0.33	RCMT0602M0
THS013771	50	60	35	0.7	RCMT0602M0
THS013772	40	50	27	0.33	RCMT0803M0
C4-SRSCR/L-35060-08	50	60	35	0.7	RCMT0803M0
THS013774	32	40	22	0.22	RCMT10T3M0
THS013775	40	50	27	0.33	RCMT10T3M0
THS013776	50	60	35	0.7	RCMT10T3M0
THS013777	63	65	45	1.1	RCMT10T3M0
THS013778	40	50	27	0.4	RCMT1204M0
THS013779	50	60	35	0.7	RCMT1204M0
THS013780	63	65	45	1.1	RCMT1204M0
THS013781	50	60	35	0.7	RCMT1606M0
THS013782	63	65	45	1.1	RCMT1606M0
THS013783	50	60	35	0.86	RCMT2006M0
THS013784	63	65	45	1.35	RCMT2006M0

* Compatible with Capto tool system. TOOL HOLDER SHOP Inc. products are not affiliated with or endorsed by Sandvik AB.

Updated 2021.05.12

SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013770	CAPTO C4 COMPATIBLE TURNING HOLDER SRSCR L=100							
THS013772	CAPTO C4 COMPATIBLE TURNING HOLDER SRSCRL							
THS013773	CAPTO C5 COMPATIBLE TURNING HOLDER SRSCRL							
THS013774	CAPTO C3 COMPATIBLE TURNING HOLDER SRSCR RIGHT HAND 10 mm							
THS013775	CAPTO C4 COMPATIBLE TURNING HOLDER SRSCRL							
THS013776	CAPTO C5 COMPATIBLE TURNING HOLDER SRSCRL							
THS013777	CAPTO C6 COMPATIBLE TURNING HOLDER SRSCRL							
THS013778	CAPTO C4 COMPATIBLE TURNING HOLDER SRSCRL							
THS013779	CAPTO C5 COMPATIBLE TURNING HOLDER SRSCRL							
THS013780	CAPTO C6 COMPATIBLE TURNING HOLDER SRSCRL							
THS013781	CAPTO C5 COMPATIBLE TURNING HOLDER SRSCRL							
THS013782	CAPTO C6 COMPATIBLE TURNING HOLDER SRSCRL							
THS013783	CAPTO C5 COMPATIBLE TURNING HOLDER SRSCRL							
THS013784	CAPTO C6 COMPATIBLE TURNING HOLDER SRSCRL							
THS016933	CAPTO C3 COMPATIBLE TURNING HOLDER SRSCR LEFT HAND 10 mm							

Updated 202302

COMPATIBLE LATHES



TOOL HOLDER SHOP INC

www.toolholdershop.com

**30-200 VIA RENZO DR
RICHMOND HILL
ONTARIO, CANADA
L4S0B8**