



TOOL HOLDER SHOP INC
PRODUCT CATALOG
(c) 2023

Table of Contents

Table of Contents	1
PSC Capto Compatible	2
Capto Compatible Collet Chuck	2
Capto Compatible Boring Bar Holder	6
Capto Compatible Turning Mills Holders	8
Capto compatible Face Mill Holder	10

CAPTO C5 COMPATIBLE COLLET CHUCK SD06 L=100 mm

SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013785	CAPTO C5 COMPATIBLE COLLET CHUCK SD06 L=100 mm							
THS013786	CAPTO C5 COMPATIBLE COLLET CHUCK SD10 L=100 mm							
THS013787	CAPTO C5 COMPATIBLE COLLET CHUCK SD16 L= 80 mm							
THS013788	CAPTO C5 COMPATIBLE COLLET CHUCK SD16 L=100 mm							
THS013789	CAPTO C5 COMPATIBLE COLLET CHUCK SD20 L=100 mm							
THS013790	CAPTO C5 COMPATIBLE COLLET CHUCK SD20 L=150 mm							
THS013791	CAPTO C5 COMPATIBLE COLLET CHUCK SD25 L=100 mm							
THS013792	CAPTO C5 COMPATIBLE COLLET CHUCK SD25 L=150 mm							
THS013793	CAPTO C6 COMPATIBLE COLLET CHUCK SD06 L=100 mm							
THS013794	CAPTO C6 COMPATIBLE COLLET CHUCK SD10 L=100 mm							
THS013816	CAPTO C6 COMPATIBLE COLLET CHUCK SD16 L= 80 mm							
THS013817	CAPTO C6 COMPATIBLE COLLET CHUCK SD16 L=100 mm							
THS013818	CAPTO C6 COMPATIBLE COLLET CHUCK SD20 L=100 mm							
THS013819	CAPTO C6 COMPATIBLE COLLET CHUCK SD20 L=150 mm							
THS013820	CAPTO C6 COMPATIBLE COLLET CHUCK SD25 L=100 mm							
THS013821	CAPTO C6 COMPATIBLE COLLET CHUCK SD25 L=150 mm							

Updated 202302

CAPTO C5 COMPATIBLE PSC SHANK COLLET CHUCK ER16 L=100 mm

SKU	L	D	Clamping Range	Weight(kg)
THS013739	100	30	0.5-10	1
THS013740	100	35	1.0-13	1.1
THS013741	100	42	1.0-16	1.4
THS013742	100	50	2.0-20	1.7
THS013743	100	30	0.5-10	1.3
THS013744	100	35	1.0-13	1.4
THS013745	100	42	1.0-16	1.5
THS013746	100	50	2.0-20	1.7
THS013747	150	50	2.0-20	2.4
THS013748	100	63	3.0-26	1.8
THS013749	150	63	3.0-26	2.8

Updated 2021.05.12

SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013739	CAPTO C5 COMPATIBLE PSC SHANK COLLET CHUCK ER16 L=100 mm							
THS013740	CAPTO C5 COMPATIBLE COLLET CHUCK ER20 L=100 mm							
THS013741	CAPTO C5 COMPATIBLE COLLET CHUCK ER25 L=100 mm							
THS013742	CAPTO C5 COMPATIBLE COLLET CHUCK ER32 L=100 mm							
THS013743	CAPTO C6 COMPATIBLE COLLET CHUCK ER16 L=100 mm							
THS013744	CAPTO C6 COMPATIBLE COLLET CHUCK ER20 L=100 mm							
THS013745	CAPTO C6 COMPATIBLE COLLET CHUCK ER25 L=100 mm							
THS013746	CAPTO C6 COMPATIBLE COLLET CHUCK ER32 L=100 mm							
THS013747	CAPTO C6 COMPATIBLE COLLET CHUCK ER32 L=150 mm							

THS013748	CAPTO C6 COMPATIBLE COLLET CHUCK ER40 L=100 mm							
THS013749	CAPTO C6 COMPATIBLE COLLET CHUCK ER40 L=150 mm							

Updated 202302

CAPTO C5 COMPATIBLE BORING HOLDER ECK0 L=100 mm

SKU	D1	D2	M	L	L1	L2	L3	Weight(kg)
THS013750	21	25	85	100	140	109	45	0.6
THS013751	23	36	100	100	140	109	60	0.6
THS013752	29	-	114	100	145	114	-	0.8
THS013753	29	40	121	125	170	139	76	1.0
THS013754	37	-	128	100	155	128	-	1.0
THS013755	37	-	149	125	180	149	-	1.2
THS013756	48	-	129	100	160	129	-	1.3
THS013757	48	-	153	125	185	153	-	1.6
THS013758	60	-	144	100	175	144	-	1.5
THS013759	60	-	169	125	200	169	-	2.0
THS013760	21	25	85	100	140	109	45	1.0
THS013761	23	36	100	100	140	109	60	1.0
THS013762	29	-	114	100	145	114	-	1.2
THS013763	29	40	121	125	170	139	76	1.4
THS013764	37	-	128	100	155	128	-	1.4
THS013765	37	-	149	125	180	149	-	1.6
THS013766	48	-	129	100	160	129	-	1.7
THS013767	48	-	153	125	185	153	-	2.0
THS013768	60	-	144	100	175	144	-	1.9
THS013769	60	-	169	125	200	169	-	2.4

Updated 2021.05.12


* Compatible with Capto tool system. TOOL HOLDER SHOP Inc. products are not affiliated with or endorsed by Sandvik AB.

SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013750	CAPTO C5 COMPATIBLE BORING HOLDER ECK0 L=100 mm							
THS013751	CAPTO C5 COMPATIBLE BORING HOLDER ECK1 L=100 mm							
THS013752	CAPTO C5 COMPATIBLE BORING HOLDER ECK2 L=100 mm							

<u>THS013753</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK2 L=125 mm						
<u>THS013754</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK3 L=100 mm						
<u>THS013755</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK3 L=125 mm						
<u>THS013756</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK4 L=100 mm						
<u>THS013757</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK4 L=125 mm						
<u>THS013758</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK5 L=100 mm						
<u>THS013759</u>	CAPTO C5 COMPATIBLE BORING HOLDER ECK5 L=125 mm						
<u>THS013760</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK0 L=100 mm						
<u>THS013761</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK1 L=100 mm						
<u>THS013762</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK2 L=100 mm						
<u>THS013763</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK2 L=125 mm						
<u>THS013764</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK3 L=100 mm						
<u>THS013765</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK3 L=125 mm						
<u>THS013766</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK4 L=100 mm						
<u>THS013767</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK4 L=125 mm						
<u>THS013768</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK5 L=100 mm						
<u>THS013769</u>	CAPTO C6 COMPATIBLE BORING HOLDER ECK5 L=125 mm						

Updated 202302

CAPTO C4 COMPATIBLE TURNING HOLDER SRSCR L=100



SKU	D	L	C	Weight(kg)	Insert Type
THS013770	40	50	27	0.33	RCMT0602M0
THS013771	50	60	35	0.7	RCMT0602M0
THS013772	40	50	27	0.33	RCMT0803M0
C4-SRSCR/L-35060-08	50	60	35	0.7	RCMT0803M0
THS013774	32	40	22	0.22	RCMT10T3M0
THS013775	40	50	27	0.33	RCMT10T3M0
THS013776	50	60	35	0.7	RCMT10T3M0
THS013777	63	65	45	1.1	RCMT10T3M0
THS013778	40	50	27	0.4	RCMT1204M0
THS013779	50	60	35	0.7	RCMT1204M0
THS013780	63	65	45	1.1	RCMT1204M0
THS013781	50	60	35	0.7	RCMT1606M0
THS013782	63	65	45	1.1	RCMT1606M0
THS013783	50	60	35	0.86	RCMT2006M0
THS013784	63	65	45	1.35	RCMT2006M0

* Compatible with Capto tool system. TOOL HOLDER SHOP Inc. products are not affiliated with or endorsed by Sandvik AB.

Materials available on the Company website are or may be protected by copyright law. All trademarks, logos and brand names are the property of their respective owners. All company, product and service names used in this website are for identification purposes only. Use of these names, trademarks and brands does not imply endorsement. For example, CAPTO (tm) is a registered trade mark of Sandvik Intellectual Property AB and used here for identification purposes only.

SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013770	CAPTO C4 COMPATIBLE TURNING HOLDER SRSCR L=100							
THS013772	CAPTO C4 COMPATIBLE TURNING HOLDER SRSCRL							
THS013773	CAPTO C5 COMPATIBLE TURNING HOLDER SRSCRL							
THS013774	CAPTO C3 COMPATIBLE TURNING HOLDER SRSCR RIGHT HAND 10 mm							
THS013775	CAPTO C4 COMPATIBLE TURNING HOLDER SRSCRL							
THS013776	CAPTO C5 COMPATIBLE TURNING HOLDER SRSCRL							
THS013777	CAPTO C6 COMPATIBLE TURNING HOLDER SRSCRL							
THS013778	CAPTO C4 COMPATIBLE TURNING HOLDER SRSCRL							
THS013779	CAPTO C5 COMPATIBLE TURNING HOLDER SRSCRL							
THS013780	CAPTO C6 COMPATIBLE TURNING HOLDER SRSCRL							
THS013781	CAPTO C5 COMPATIBLE TURNING HOLDER SRSCRL							
THS013782	CAPTO C6 COMPATIBLE TURNING HOLDER SRSCRL							
THS013783	CAPTO C5 COMPATIBLE TURNING HOLDER SRSCRL							
THS013784	CAPTO C6 COMPATIBLE TURNING HOLDER SRSCRL							
THS016933	CAPTO C3 COMPATIBLE TURNING HOLDER SRSCR LEFT HAND 10 mm							

CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=22 mm L= 50 mm




SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013796	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=22 mm L= 50 mm							
THS013840	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=22 mm L=120 mm							
THS013841	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=27 mm L= 60 mm							
THS013842	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=27 mm L=120 mm							
THS013843	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=32 mm L= 60 mm							
THS013844	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=32 mm L=120 mm							
THS013845	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=40 mm L= 60 mm							
THS013846	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=40 mm L=120 mm							
THS013847	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=22 mm L= 50 mm							

THS013848	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=22 mm L=100 mm							
	<u>CAPTO C6 COMPATIBLE TAPER</u>	STRIGHT	22 mm	100 mm	CW-CW STATIC	STRIGHT	INTERNAL COOLANT THROUGH	STRIGHT
THS013849	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=27 mm L= 50 mm							
THS013850	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=27 mm L=100 mm							
THS013851	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=32 mm L= 60 mm							
THS013852	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=32 mm L=120 mm							
THS013853	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=40 mm L= 60 mm							
THS013854	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=40 mm L=120 mm							

Updated 202302

CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1)" L= 50 mm



Materials available on the Company website are or may be protected by copyright law. All trademarks, logos and brand names are the property of their respective owners. All company, product and service names used in this website are for identification purposes only. Use of these names, trademarks and brands does not imply endorsement. Fo example, CAPTO (tm) is a registered trade mark of Sandvik Intellectual Property AB and used here for identification purposes only.

SKU	Interface	Direction	Capacity	Projection	Rotation	Hand	Coolant	Offset
THS013795	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1)" L= 50 mm							
THS013822	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1)" L=100 mm							
THS013830	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 4)" L= 50 mm							
THS013831	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 4)" L=100 mm							
THS013832	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 2)" L= 50 mm							
THS013833	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 2)" L=100 mm							
THS013834	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1)" L= 50 mm							

<u>THS013835</u>	CAPTO C5 COMPATIBLE FACE MILL HOLDER OD=(1)" L=100 mm							
<u>THS013836</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 4)" L= 50 mm							
<u>THS013837</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 4)" L=100 mm							
<u>THS013838</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 2)" L= 60 mm							
<u>THS013839</u>	CAPTO C6 COMPATIBLE FACE MILL HOLDER OD=(1- 1/ 2)" L=120 mm							

Updated 202302



TOOL HOLDER SHOP INC

www.toolholdershop.com

**30-200 VIA RENZO DR
RICHMOND HILL
ONTARIO, CANADA
L4S0B8**